STANDARD HIGH SCHOOL - ZZANA

S.3 PHYSICS PAPER 1 SET TWO 2020


TIME: 2Hours


INSTRUCTIONS

- Section A contains 40 objectives type questions. You are required to circle the most correct answer A, B, C, D.
- Section **B** contains 5 structured questions.
- Answers are to be written in the space provided on the question paper.

Mathematical tables and silent non – programmable calculators maybe used. Acceleration due to gravity $g = 10 \text{ms}^{-2}$.

- Forward scanned answer sheets to **stahiza2020@gmail.com SECTION A**
- 1. The following are scalar quantities except.
 - A. Mass
 - B. Volume
 - C. Weight
 - D. Energy
- 2. By which process does smelly gas at the back of the laboratory spread throughout the room when released from its container?
 - A. Osmosis
 - B. Diffusion
 - C. Expansion
 - D. Capillarity
- 3. The speed of a car increases uniformly from Okmh⁻¹ to 72kmh⁻¹ in 25seconds. What is the acceleration in ms⁻²
 - A. 7.2
 - B. 3.6
 - C. 2.9
 - D. 0.8
- 4. Fig 1








Figure 1 show shows a cone in three different positions which of the following arrangements correctly describes the type of stability.

| | X | Y | Z |
|---|----------------------|----------------------|----------------------|
| A | Unstable equilibrium | Neutral equilibrium | Stable equilibrium |
| В | Neutral equilibrium | Unstable equilibrium | Stable equilibrium |
| C | Stable equilibrium | Neutral equilibrium | Unstable equilibrium |
| D | Stable equilibrium | Unstable equilibrium | Neutral equilibrium |

- 5. Calculate the pressure exerted on the ground by a car of mass 750kg in the area of contact with the ground of each tyre is 30cm²
 - A. 2.25×10^6 pa
 - B. 6.25x10⁵ pa
 - C. $4.0x10^4$ pa
 - D. $2.5x10^4$ pa
- 6. Which of the following is a set of quantities which are described by both magnitude and direction?
 - A. Speed, distant, mass, time.
 - B. Displacement, velocity, force, electric field.
 - C. Moment, acceleration, time, energy.
 - D. Velocity, power, week, pressure.
- 7. A rectangular block of metal has length 0.5m and thickness 0.01m. Calculate its width if its mass is 0.365kg and density 7.3x10³kgm⁻³
 - A. 0.01m
 - B. 0.1m
 - C. 1.0m
 - D. 10m
- 8. Fig.2





Figure 2 shows the principle of operation of a syringe which of the following best explains the observation.

- A. When the piston is pushed down, atmospheric pressure acts upwards on the surface of the water.
- B. When the piston is pulled upwards atmospheric pressure acts upwards on the surface of the water.
- C. The upward stroke causes the barrel to be filled with air which prevents upward movement of water.
- D. The down ward stroke pushes air out of the barrel so that on the upward stroke atmospheric pressure pushes water up the syringe.
- 9. An empty glass flash has a mass of 100g and volume 250cm³. What will be its mass when full of liquid of density 950kgm³
 - A. 380.0g
 - B. 363.2g
 - C. 337.5g
 - D. 237.5g
- 10.A newton is defined as:
 - A. unit of force
 - B. force which produces an acceleration of 1ms⁻².
 - C. force which gives a mass of 1kg an acceleration of 1ms⁻².
 - D. Force which produces an acceleration of any magnitude of a mass of 1kg.
- 11.AB is a uniform half meter rule of mass Mg balanced as shown in fig 3.



Find the value of M

A. 0.15kg

- B. 1.5kg
- C. 0.02kg
- D.0.03kg
- 12. Which of the following is NOT the same mass as others?
 - A. 10 Milligrams B. 100grams
- C.10⁻⁴ megagrams D. 10⁻¹ kilograms
- 13.In an experiment to determine the size of an oil molecule by the oil drop method, one of the assumptions made is that oil molecules.
 - A. Are exactly small.
 - B. Dissolve in water.
 - C. Have low surface tension.

| D. Spread until | l they form a singl | e layer. | | |
|----------------------|---------------------------------|--------------------------|---|----------|
| 14.A block of mas | ss 10kg accelerates | s uniformly at a rate | of 3ms ⁻² along a horizontal table | when a |
| force of 40N ac | cts on it. Find the | friction force betwee | n the block and the table. | |
| A. 10N | B.13.3N | C. 30N | D. 70N | |
| 15.A car of mass | 1.5x10 ³ kg climbs a | a hill in 900s. if the t | op of the hills is 50m above the | starting |
| point, find the | average power out | put of the engine. | | |
| A. 1380W | B. 833W | C. 5000W | D. $7.50 \times 10^2 \text{W}$ | |
| 16.The strength of | f magnetism can b | e maintained in the b | oar magnets by: | |
| A. Suspending | them on strings an | nd make them face e | ast – west. | |
| B. Hammering | them when they a | are facing east – wes | t. | |
| C. Keeping the | em in pairs, and pl | acing soft – iron pied | ces. | |
| D. Heating the | m when they are f | acing east – west | | |
| 17.A spring has a | n unstretched lengt | th of 15.0cm and len | gth of 15.6cm when a load of 3N | I is put |
| at the bottom o | f the spring. The l | oad on the spring wh | nen the stretched length is 15.8cm | n in |
| Newton is | | | | |
| A. 10 | B. 8 | C. 4 | D. 6 | |
| 18.An effort of 10 | ON moves a distar | nce of 20m to raise a | load of 800N through a height of | of 2m. |
| Calculate the e | fficiency of the ma | achine. | | |
| A. 80% | B. 20% | C. 40% | D. 60% | |
| 19.A ball of mass | 0.2kg is dropped t | from a height of 20m | a. On impact with the ground, it l | oses |
| 30J of energy. | Calculate the heig | ht it reaches on rebo | und. | |
| A. 20m | B. 10m | C. 5m | D. 40m | |
| 20.A rider on a ho | rse back falls forv | vard when the horse | suddenly stops. This is due to | |
| A. Inertia of th | e horse | | | |
| B. Inertia of th | e rider | | | |
| C. Large weigh | nt of the horse | | | |
| D. Losing of the | ne balance | | | |
| 21. The direction of | of the induced curr | ent in a conductor m | oving in a magnetic field can be | |
| predicted by ap | plying | | | |
| A. Fleming's r | ight-hand rule | | | |
| B. Fleming's l | eft-hand rule | | | |
| C. Lenz's law | | | | |
| D. Faraday's la | aw | | | |
| 22.Fig 4 below sh | ows three forces a | cting on a body. Wh | at is the net force on the body? | |

a






fig 4

- 23. Which of the following is a ferromagnetic material?
 - A. Silver
 - B. Diamond
 - C. Iron
 - D. Brass
- 24. The ability of a material to withstand an external force without breaking is called.....
 - A. Strength
 - B. Ductility
 - C. Stiffness
 - D. Brittleness
- 25. Which of the following is true?
 - A. Magnetic lines of force are concentric
 - B. Like poles attract
 - C. Magnetic lines of force cross at the neutral point
 - D. A single pole cannot exist

26.Fig 5






Which of the following have to be brought together to produce the magnetic field pattern shown in the above diagram.

- A. N pole and S pole
- B. N pole and N pole
- C. S pole and S pole
- D. S pole and N pole

- 27. When you look at yourself in a mirror you see an image of yourself. The image is.....
 - A. On the surface of the mirror.
 - B. A real image behind the mirror.
 - C. An inverted virtual image.
 - D. A virtual image behind the mirror.
- 28.Fig 6 below shows the strength of am electromagnet with a fixed number of turns of wire as a function of the steady current passing through the turns.



Why can the strength of the electromagnet not be increased above the above the line PQ.

- A. The turns of wire get too hot.
- B. The current through the turns cannot be increased further.
- C. The small magnets (domains) within the core have been aligned by point P.
- D. The core gets too hot.
- 29. Solids are not easily compressed because their molecules,
 - A. Are far apart
 - B. Are closely packed
 - C. Vibrate about their mean position.
 - D. Have strong adhesive force between them.
- 30. The mercury thread is 13cm long at 93°C. Find the temperature in degrees centigrade. (°C) when the thread is 5cm long.
 - A. 18.6
- B. 28.0
- C. 35.8
- D. 241.8
- 31. The figure 7 shows a magnetic field pattern around magnetic poles. W, X, Y, and Z.



X

Y

Which of the following is correct about the poles W, X, Y and Z.

- A. X and Y repel each other and they are North poles
- B. Z and Y attract each other and will have a neutral point between them.
- C. X and Z repel each other and will have a neutral point between them.
- D. Y and W repel each other and they are both North poles.
- 32. The object placed at the center of curvature of the concave mirror. The image is formed is.
 - A. Behind the mirror.
 - B. At the principal focus.
 - C. Between the centre of curvature and the principal focus.
 - D. At the center of curvature.
- 33. Which of the following is true about concave and convex mirror?

| | Concave mirror | Convex mirror |
|---|--------------------------|----------------------------|
| A | Converges light | Diverges light |
| В | Diverges light | Converges light |
| C | Refracts light | Reflects light |
| D | Has a wide field of view | Has a narrow field of view |

- 34. The focal length of a concave mirror is the
 - A. Distance between the pole of curvature and the mirror.
 - B. Distance between the centre of curvature and the mirror.
 - C. Distance between the object and the mirror
 - D. Diameter of the sun
- 35.A body which is accelerating
 - A. Experiences zero force
 - B. Decreases its velocity to zero
 - C. Travels with increasing velocity
 - D. Travels only in a straight line

| | Which one f the following parts is under ten | sion? |
|----|---|------------------------|
| | A. W | |
| | B. X | |
| | C. Y | |
| | D. Z | |
| 37 | .When a steel rod is stroked using a bar magi | net, the |
| | (i) rod attracts small steel pins | |
| | (ii)rod will be charged | |
| | (iii) magnet dispoles will be aligned | |
| | A. (i) only | C. (ii) and (iii) only |
| | B. (i) and (ii) only | D. (i) and (iii) only |
| 38 | In an elastic collision | |
| | A. bodies move a common velocity | |
| | B. kinetic energy is not conserved | |
| | C. kinetic energy is conserved | |
| | D. bodies stick together | |
| 39 | The recoil velocity of a gun will depend on: | |
| | (i) mass of the shell | |
| | (ii) muzzle velocity of shell | |
| | (iii) muzzle diameter of the gun | |
| | (iv) mass of the gun | |
| | A. (i) only | |
| | B. (iii) only | |
| | C. (ii) and (iii) only | |
| | D. (i), (ii) and (iv) only | |
| 40 | .A volt per ampere is equivalent to; | |
| | A. Watt | |
| | B. Coulomb | |
| | C. Joule | |
| | D. Ohm | |

Answer all questions in this section. All working must be shown clearly in the spaces provided.

| 41.(a | What are girders? | (01mark) |
|-------------------|--|--|
| (b | o) State two ways of reducing the notch eff | ect from spreading in a piece of wood. (01mark) |
| (c | A mass of 10kg stretches a spring by 4cr | n. find the spring constant. (02marks) |
| 42.(a | What is a magnetic field? | (01mark) |
| (b | b) What is meant by magnetic saturation? | (01mark) |
| ••• | | |
| (c | e) Explain why a freely suspended bar mag | net swings until it points North – South P. (02marks) |
| 43.(a | Define the joules. | (01mark) |
| | The work done to move a body through a body. | a distance of 5m is 30J. Find the force that acts on (04marks) |
| | | |

| | That is meant by efficiency of a machine? | (01marks) |
|-------------|--|-----------------------------------|
| (b) D | braw a single pulley system of velocity ratio 3. | . (03marks) |
| | | |
| | | |
| | | |
| (c) St | tate one reason why the efficiency of a machine is a | lways less than 100% |
| | efine the following terms as applied to curved mirro | |
| (i) | The principal focus, F | (01mark) |
| | | |
| (ii) | The radius of curvature (r) | (01mark) |
| | | |
| (iii) | Aperture | (½ mark) |
| | | ···· |
| betwe | braw a ray diagram to determine the position of the interest een C and F (Centre of curvature and the principal frage formed using concave mirror. | ocus) and Determine the nature of |
| · • • • • • | | (2 ½ marks) |
| | | |

END