Name	Index No:
School Exam Number:	Signature:
	Candidates should NOT write their Centre Nam or Centre Number anywhere on this booklet

## ENTEBBE JOINT EXAMINATION BUREAU

### Uganda Certificate of Education

**CHEMISTRY** 

Paper 2

2 hours

#### INSTRUCTIONS TO THE CANDIDATES

Section A consists of 10 - structured questions. Attempt all questions in this Section.

Answers to Section A must be filled in the spaces provided.

Section B consists of 4 semi – structured questions. Attempt any two questions from this Section. Answers to this Section must be written in the answer pages provided overleaf.

In both Sections, all your working must be clearly shown.

1 mole of any gas occupies 22,400 cm<sup>3</sup> at standard temperature and pressure (s.t.p.)

1 mole of any gas occupies 24,000 cm<sup>3</sup> at room temperature.

$$[S = 32, N = 14, O = 16, C = 12, H = 1]$$

## FOR EXAMINERS' USE ONLY

1	2	3	4	5	6	7	8	9	10	11	12	13	14	TOTAL
	1 1	19.								√ ja	n't V	P2()	104	

O-C-1 2023 Entebbe Joint Examination Bureau: Chemistry Turn Over



# SECTION A: (50 MARKS)

		m is denser than water, and the two liquids are immiscibl	
(a)	C.	te what is meant by the term immiscible liquids.	(01 mark)
(la)	Non		
(b)	(i)	suitable method that can be used to separate a mixture and water.	
	(ii)	component of the mixture that would be collected la was separated by the method named in (b)(i) above.	st if the mixtur (01 mark)
		mall amount of sodium metal was added to the com	ponent in (b)(
(c)	A si abov (i)	wall amount of sodium metal was added to discovering in a beaker.  Write equation for the reaction that took place.	(1½ marks)
	(-)		
,	(ii)	The resultant mixture in (c)(i) above was tested will state what was observed.	(01 mark)
	184 47		
	. 9		
		symbols of atoms of some elements X and Y are	
respe	ectively	symbols of atoms of some elements $X$ and $Y$ are	The $_{16}^{32}X$ and $_{2}^{4}$ belongs.
	ectively	symbols of atoms of some elements X and Y are	The $_{16}^{32}X$ and $_{2}^{4}$ belongs.
respe	ectively State	symbols of atoms of some elements <b>X</b> and <b>Y</b> are <b>y</b> .  the group and period in the Periodic Table to which <b>Y</b>	The $^{32}_{16}X$ and $^{4}_{2}$ belongs.  ( $^{1}_{2}$ mark)
respe	ectively State	symbols of atoms of some elements <b>X</b> and <b>Y</b> are <b>y</b> .  the group and period in the Periodic Table to which <b>Y</b>	The $^{32}_{16}X$ and $^{4}_{2}$ belongs.  ( $^{1}_{2}$ mark)
respective (a)	State (i) (ii)	symbols of atoms of some elements <b>X</b> and <b>Y</b> are the group and period in the Periodic Table to which <b>Y</b> Group.  Period.	The $^{32}_{16}X$ and $^{4}_{2}$ belongs.  ( $^{1}_{2}$ mark)
respe	State (i) (ii)	symbols of atoms of some elements <b>X</b> and <b>Y</b> are y.  the group and period in the Periodic Table to which <b>Y</b> Group.  Period.	The $^{32}_{16}X$ and $^{4}_{2}$ belongs.  ( $^{1}\!\!/_{2}$ mark)
respective (a)	State (i) (ii)	symbols of atoms of some elements <b>X</b> and <b>Y</b> are the group and period in the Periodic Table to which <b>Y</b> Group.  Period.	The $^{32}_{16}X$ and $^{4}_{2}$ belongs.  ( $^{1}\!\!/_{2}$ mark)
respective (a)	State (i) (ii) Write	symbols of atoms of some elements <b>X</b> and <b>Y</b> are y.  the group and period in the Periodic Table to which <b>Y</b> Group.  Period.	The $^{32}_{16}X$ and $^{4}_{2}$ belongs.  ( $^{1}\!\!\!/_{2}$ mark)  ( $^{1}\!\!\!/_{2}$ mark)
respective (a)	State (i) (ii) Write (i)	symbols of atoms of some elements <b>X</b> and <b>Y</b> are <b>y</b> .  the group and period in the Periodic Table to which <b>Y</b> Group.  Period.  the formula of the most likely ion of <b>Y</b> .	The $^{32}_{16}X$ and $^{4}_{2}$ belongs.  ( $^{1}\!\!\!/_{2}$ mark)  ( $^{1}\!\!\!/_{2}$ mark)

sejori	(c) Determine the number of neutrons in the nucleus of the atom	of element Y. (01 mark)
(	(d) Atoms Z and Y are isotopes. Briefly explain the statement.	(01 mark)
3. Tof	he reaction between magnesium metal and dilute hydrochloric acid a redox reaction, which takes place according to the following eq	lia an avamula
	$Mg_{(s)} + 2H^{+}_{(aq)} \longrightarrow Mg^{2+}_{(aq)} + H_{2(g)}$	
(a)	Name the substance in the reaction that undergoes the following	ng processes.
	(i) Oxidation	
		(½ mark)
	(ii) Reduction	(½ mark)
(b)	White an incident to the description of	
(b)	Write an ionic equation to show the reaction that takes processes above.	s place in the
	(i) oxidation	(01 mark)
	(ii) reduction	(01 mark)
(c)	Calculate the volume of 1M hydrochloric acid required to re of magnesium powder.	eact with 0.48 g (02 marks)
	OI Magnessan P	
	र प्रतिकार के प्रतिकार के भूगों के प्रतिकार के प्रति	
** *	TO SECURE DAMES AND	
1 1	3	Turn over

4. Na	me a reagent that can be used des. In each case, state what we arately treated with the reagent	to distinguish between the fo ould be observed when each ox you have named.	ollowing pairs of cide in the pair is
(a)	SO <sub>2</sub> and SO <sub>3</sub> Reagent:		(2½ marks)
	Observation:		
(b)	CO and CO <sub>2</sub> Reagent:		(2½ marks)
	Observation:		
	ene is a thermo softening plast Distinguish between thermo so		
(b) (i)		he reaction leading to the	
(ii)	Give one use of polyethene	e.	(½ mark)
(c) Nati	ral rubber in its raw form is o Name the process by which improved.		rubber can be (½ mark)
(ii)	State how the process that yo	ou have named above is carr	ried out. (½ mark)

6.	W wa	hen cor as evolv	ncentrated nitric acid was warmed with sulphur in a glass red.	beaker, a gas
	(a)	(i)	Name the gas that was evolved.	(½ mark)
		(ii)	Write equation for the reaction that took place.	$(1\frac{1}{2} \text{ marks})$
	(b)		resultant solution was diluted with water and the mixture g platinum electrodes.	re electrolysed
, · ,		(i)	State what was observed at the negative electrode.	(½ mark)
		(ii)	Write ionic equation for the reaction that took place electrode.	at the positive (1½ marks)
	(c)	Ident	tify the relative amounts of the gaseous products formed	at the negative
			oositive electrodes.	(01 mark)
,	(-)			
•	(a)		ing sulphur in air is an example of an exothermic reaction	
		(i)	State what is meant by the term exothermic reaction	
		(;;)	Write an equation to show the reaction that takes pla	ace when sulphur
		(ii)	is burnt in air.	(01 mark)
			20-1-1-1-1-20-1-1-1-1-1-1-1-1-1-1-1-1-1-	
			2 . 29/01/20	.1 777 50 -
	(b)		nolar enthalpy of combustion of sulphur is -297 KJmc	duced raised the
		tempe	rature of $500 \text{cm}^3$ of water from $25.0^{\circ}$ C to $T_2^{\circ}$ C. D rature of water, $T_2$ . (The specific heat capacity of water $T_2$ )	4.2 I=1 0C-1
		temne		$ter = 4.2Jg^{-1}C$
		dangit	$v_{o} = 1.0 \text{gcm}^{-3} \text{ and } S = 32$	(03 marks)
		dangit	y of water = $1.0$ gcm <sup>-3</sup> and $S = 32$ )	(03 marks)
		dangit	y of water = $1.0$ gcm <sup>-3</sup> and $S = 32$ )	(03 marks)
		densit	y of water = $1.0$ gcm <sup>-3</sup> and $S = 32$ )	(03 marks)
		densit	y of water = $1.0$ gcm <sup>-3</sup> and $S = 32$ )	(03 marks)
		densit	y of water = $1.0$ gcm <sup>-3</sup> and $S = 32$ )	(03 marks)

,	Dilute sodium hydroxide solution nitrate and calcium nitrate dropwise was filtered.  a) Name the cation present in the	was added to a mixture countil the alkali was in exces	ontaining lead(II) s and the mixture
	(i) filtrate		(½ mark)
	(ii) residue		(½ mark)
(b)	Write an ionic equation for th residue.	e reaction leading to the 1	formation of the (1½ marks)
(c)	To the filtrate was added dilute just acidic. State what would be added to the acidic filtrate:	nitric acid drop wise until observed when the followin	the filtrate was
	(i) excess aqueous ammonia s		
	(ii) potassium iodide solution		(01 mark)
			•••••••
	Chlorine can be prepared in the hydrochloric acid and an oxide of e		g concentrated
(	i) Name R.		(½ mark)
(i	i) Write an equation for the rea oxide of element <i>R</i> .	ction between hydrochlori	(1½ marks)
the	hen excess chlorine gas was passe resultant mixture treated with wwn precipitate was formed.		

	(1)	Identify the reddish-brown precipitate.	(½ mark)
	(ii)	Write an ionic equation for the reaction leading to the the reddish-brown precipitate.	formation of (1½ marks)
	(iii)	Explain what happened when chorine gas was passed of Iron(II) sulphate.	over a solution (01 mark)
0. A c	compou being	nd $Q$ ( $Rmm = 120$ ) contains 20.0% Magnesium, 26.7% SOxygen.	
(a)	(i)	Calculate the empirical formula of $Q$ .	(02 marks)
			••••••
	(ii)	Determine the molecular formula of Q.	(01 mark)
			•••••
		1.1	lution tracted o
(b)	fallow	ound $Q$ was dissolved in water and the resultant so	
	(:)	To the first part of the solution was added a few	drops of sodium
		carbonate solution. Write an ionic equation for the r	eaction that too (1½ marks)
			<u>*</u>
		••••••	

			(ii)	The second part was treated with a few drops of soap what was observed.	solution. State (½ mark)
				SECTION B: 30 MARKS	
				Attempt two questions from this Section	
	11.	(a)	Descr labora	ibe how a pure and dry sample of carbon dioxide gas can be tory. (No diagram required)	prepared in the (07 marks)
		(b)	Explai	n why ethanoic is not used to prepare carbon dioxide in the l	aboratory. (03 marks)
		(c)		ed candle was lowered into a gas jar containing carbon das observed.	ioxide. Explain (1½ marks)
		(d)		of Zinc carbonate was strongly heated in a combustion tube er change.	until there was
			(i) V	Vrite an equation for the reaction.	(1½ marks)
				alculate the mass of the residue formed. Zn = 65, $C = 12$ , $O = 16$ )	(02 marks)
12.		ron is alciun	manufac n carbona	tured by passing a blast of hot air through a mixture of Iron te in the blast furnace.	ore, coke and
	(a	1) ]	Explain t	he role of the following substances during the extraction of	iron
		(	ii) col	air ce cium carbonate	(03 marks) (02 marks) (04 marks)
	(b)	W (i) (ii	) stea		(1½ marks) (1½ marks)
atedia soft		mi (i)	xture allo State	win hydroxide solution was added to Iron(II) nitrate so wed to stand.  what was observed.  e equation for the reaction that took place.	lution and the (1½ marks) (1½ marks)
13.	(a)		ng equa	ions, describe how nitric acid is prepared on a larg	ge scale from (06 marks)
(	(b)	(i)		equation for the reaction between moderately-conce	entrated Nitric (1½ marks)
		(ii)	State	one use of nitric acid other than manufacture of fertilise	rs. (½ mark)
				0	

(c)	Nitric acid reacts	with man				-1			
	Nitric acid reacts action of heat on	tritti most	metals to	form	nitrates.	Write equa	tions to	show	the

sodium nitrate. (i)

 $(1\frac{1}{2} marks)$ 

(ii) silver nitrate.

(11/2 marks)

(d) Copper (II) nitrate decomposes when heated strongly according to the following equation:  $[N = 14, O = 16, Cu = 64, 1 \text{ mole of gas occupies } 22.4dm^3 \text{ at s.t.p.}]$ 

$$2 Cu(NO_3)_{2 (s)}$$
  $\longrightarrow$   $2 CuO_{(s)} + 4NO_{2 (g)} + O_{2 (g)}$ 

Calculate the mass of copper(II) nitrate that would produce 448.0cm<sup>3</sup> of Oxygen measured at standard temperature and pressure (s.t.p) (41/2 marks)

Excess Zinc oxide was added to dilute sulphuric acid. 14. (a)

State what was observed.

(11/2 marks)

Write an equation for the reaction that took place. (ii)

(11/2 marks)

- Briefly describe how crystals of Zinc sulphate can be obtained from the (iii) reaction mixture in (a)(i) above. (31/2 marks)
- To a mixture containing Zinc sulphate and aluminium sulphate was added (b) aqueous ammonia dropwise until the alkali was in excess and the resultant mixture was filtered. Name the cation present in the

(i) filtrate (½ mark)

residue (ii)

 $(\frac{1}{2} mark)$ 

Write equation for the reaction leading to the formation of the residue. (c) (i) (1½ marks)

Write the formula of the species in the filtrate. (ii)

(01 mark)

- To the filtrate was added dilute nitric acid drop wise until the filtrate was just (d)  $(1\frac{1}{2} marks)$ acidic. State what was observed.
- Barium chloride solution was added to the acidic filtrate in (d). Explain what was (e) (03 marks) observed.