Name:	
Index No	Signature:

545/2 CHEMISTRY

Paper 2
July/August 2023
2 hours



KAMSSA JOINT MOCK EXAMINATIONS

Uganda Certificate Of Education

CHEMISTRY

2 hours

Paper 2

Instructions to candidates

- Section A consists of 10 structured questions. Answer all questions in this section.
- Answers to these questions **MUST be** written in the spaces provided.
- **SECTION B** Consists of **4 semi**-structured questions. Attempt **any two** questions from this section. Answers to the question must be written in the answer booklets provided.
- (1 mole of gas occupies **24litre**s at room temperature)
- (1 mole of gas occupies 22.4litres at s.t.p)

EXAMINERS USE ONLY

1	2	3	4	5	6	7	8	9	10	11	12	13	14	Total
						,								

SECTION A (Attempt all questions in

1. Name one process by which the components of the following mixtures can be separated.

(06 marks)

Mixture	Process
Water and petrol	
Iron filings and charcoal dust	
Copper(ii) sulphate and sand	
Calcium chloride and iodine	
Water and common salt	
Dyes in ink	

2. The number of electrons, protons and neutrons in atoms **R**, **S**, **T** and **U** are shown in the table below. The letters used are not the usual chemical symbols for the elements.

Atoms	electrons	Protons	Neutrons
R	16	16	16
S	8	8	6
T	13	13	13
\mathbf{U}	X	16	17

a) i.	Determine; The value of X .	(0½ mark)
 ii.	The approximate relative atomic mass of T	
,	Write the electronic configuration of the following ions of the atoms above.	••••••••••••
•••	T ³⁺	(0½ mark)(0½ mark)
		(072 mark)

c) Which of the above atoms are isotopes ? Give a reason to support your a	inswer.
Atoms;	$(0\frac{1}{2} mark)$
Reason;	(01 mark)
d) Write the formula of the compound formed when S is reacted with T	(01 mark)
3. a) Hydrogen chloride can be prepared from potassium chloride.	
i) Name other reagent that is reacted with potassium chloride to produce hy gas.	drogen chloride (0½ mark)
ii) Write an equation for the reaction leading to the formation of hydrogen of	
b) Write an equation for the reaction between hydrogen chloride and;i. Silver nitrate solution.	(01½ marks)
ii. Iron in the presence of water.	(01½ marks)
4. Copper (ii) sulphate solution was electrolyzed using carbon electrodes.	
a) State what was observed at the; i. Cathode	(01 mark)
	(01 mark)
ii. Anode	

, _athode.	(011/2 mail
b) Explain your observation at the cathode.	
	(01½ marks)
c) Write equation(s) for the reaction(s) that took place at the anode.	
	$(01 \ mark)$
5. a) Define the term empirical formula	`

	- carbon
b) On complete combustion of 7.5g of an organic compound M; containing	produced.
Calculate the simplest formula of the organic compound M.	(03½ marks)
•••••	
•••••••••••••••••••••••••••••••••••••••	
6. Zinc powder was added to a solution of copper (ii) sulphate solution in a) i) State what was observed	(01 mark)
	(01½ marks)
ii)Write an ionic equation for the reaction above	
	er (ii) sulphate
b) Zinc powder was added to iron (ii) sulphate solution instead of copposition.	

i. State what was observed.	(01 mark)
ii. What name is given to the reactions in (a) (i) and b(i) above?	(01 marks)
7. The general formula of the compounds P and Q are; C _n H _{2n} and C _n H _{2n} a) Write the molecular formula and names of compounds P and Q ; for n	₊₂ respectively.
i. Formula of P	(0½ mark)
Name of P	
ii. Formula of Q :	(0½ mark)
Name of Q :	(0½ mark)
b) State the structural difference between compounds P and Q.	(01 mark)
c) i) Name one reagent which can be used to distinguish between con	(072 mark)
 ii. State what would be observed if the reagent you have named is separately with compounds P and Q. Observation for P; 	in (c) (i) was treated (01 mark
Observation for Q;	

iii.	Write the equation(s) for any reacobservations in (c) (ii) above.	ction that would take place to illustrate y	our (01 mark)
	When concentrated hydrochloric a xture heated, a gas was evolved.	acid was added to manganese (IV) oxide	
1.	Name the gas that was evolved.		$(0\frac{1}{2} mark)$
	····		
ii.	Write the equation for the reacti		(01½ marks)
•	State what is observed when the	e gas is bubbled through;	(011)
1.	Cold dilute potassium hydrox	ide solution.	(01 mark)
	A hoolean containing we did not		(0½ mark)
ii.	A beaker containing moist rec		
	The second of the second by	helpd through a solution of sodium ind	ide until no
c)	further change.	bbled through a solution of sodium iod	
i.	•		(01½ marks)
ii.	Suggest any conclusion that (i).	can be drawn from the equation you ha	ave written in (c (01 mark
	• • • • • • • • • • • • • • • • • • • •		
The	setup of the apparatus in figure	1 was used to investigate the effect of	of heat on zinc
9. 1110	Zinc carbonate	Delivery tube	
	X		
		Test tu	be
	Heat	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
		Lime w	ater
		Fig. 1	

(a) i.	State what was observed in: Test tube X	
		(01mark)
	Test tube Y	
11.	Test tube Y	(01mark)
• • • • • •	***************************************	
(b) i.	Write an equation for the change that occurs in; Test tube X	(01½marks)
••••		
•••		(01½marks)
ii.	Test tube Y.	,
		(01mark)
(c)	State one use of the solid product in b(ii).	,
• • • •		•••••
• • • •		is each of the following
10.	Write equations only to show the reactions that would take pla	ice if each of the following
	was strongly heated in air. NaNO ₃	(01½ marks)
a)	Naivos	
•••		
1.)	Na ₂ CO ₃ .10H ₂ O	(01 mark)
D)		
•••	,	
•••		(01½ marks)
c)	Cu(NO ₃) ₂	
• • •	***************************************	
•••		
	SECTION B uswer two questions only in this section, extra – questions are section and the section of the secti	swered will not be marked.
Ar	iswer two questions only in this section, extra questions only in this section, extra questions of the section	(01½ marks)
11	. a) Calcium nitrate was strong.	(01½ marks)
j	State what was observed. Write the equation for the reaction that took place. Write the equation for the dried using the solid residue about	(11
11	Write the equation for the reaction that took products form Name a gas that can be dried using the solid residue about the products form	ove.
iii iv	Colculate the total Volume of the 8	
1V	4.5g of calcium nitrate is heated strongly. V=14, O=16, Ca=40, 1 mole of a gas at room temperature	occupies 24.0 dm³) (03 marks)
(1	N=14, O=16, Ca=40, 1 mole of a gus ut room	(05 marns)

b) The residue in (a) was dissolved in water. Write equation for the reaction	that took place.
c) Excess carbon dioxide was bubbled through the solution in (b) above.	$(01\frac{1}{2} \text{ marks})$
State;	
i. What is observed and write the equation(s) for the reaction(s) that too	k place.
ii. One application of this reaction in gas analysis.	$(04\frac{1}{2} \text{ marks})$
d) To the resultant solution in (b), soap solution was added. State what was	(01 mark)
	(01 mark)
12. a) Name any two chief ores from which iron can be extracted in the bla	st furnace (02 marks)
b) Briefly describe the reactions that lead to the formation of iron from one	e of the ores
named above during the extraction using a blast furnace.	$(06\frac{1}{2} \text{ marks})$
c) State what would be observed and write equation for the reaction that we when the following gases are passed over heated red-hot iron.	vould take place
• 4 •	02½ marks)
ii. Steam	$(02\frac{1}{2} marks)$
d) Dilute hydrochloric acid was added to iron filings and the mixture warn	
equation for the reaction that took place.	(01½ marks)
13. a) i). Name one substance that can be reacted with hydrochloric acid to	
dioxide gas in the laboratory.	(01 mark)
ii. State the conditions under which the reaction take place.	(02 marks)
iii. Name a substance that can be used to dry Sulphur dioxide gas pro	
iv. Write the equation for the reaction leading to the formation of Su	iphur dioxide gas $(01\frac{1}{2} marks)$
b) State what would be observed and explain what would happen if Sulp	,
passed through a solution containing;	
i. Acidified potassium dichromate	$(02\frac{1}{2} \text{ marks})$
ii Acidified notassium permanganate	(02 ½ marks
c) Briefly describe how Sulphur dioxide can be converted to sulphuric a	cid. Your answer
should include equations and conditions for the reaction(s).	(04½ marks
14. a) state the difference between an acid and a salt.	(02 marks
b) describe.	,
i. how a pure dry sample of lead (II) carbonate can be prepared in the	ie laboratory. (no
diagram is required)	(04 mark) (02 mark)
ii. the effect of heat on lead carbonate.	`
c) lead (II) carbonate reacts with dilute nitric acid according to the following to the fol	(a) + H2O(l)
Calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate that is required to real calculate the mass of lead (II) carbonate the mass of l	act completely with
Calculate the mass of read (II) carbonate that is required as 200cm^3 of $0.2 M$ dilute nitric acid. (Pb=207, C=2, O=16).	(02½ mark
d) State what would be observed if in a test tube containing lead (II) io	ns was added;
c 4- a dida collition	
A mmonia solution was added dropwise until in excess.	(01 ma)
Dilute hydrochleric acid and the mixture heated then allowed to co	ol. $(01\frac{1}{2} \text{ mar})$
e) Write an equation to illustrate your answer in (d) (ii) above.	(01½ mar)
*/	

END

ii.