
WAKISSHA JOINT MOCK EXAMINATIONS MARKING GUIDE

Uganda Advanced Certificate of Education **UACE** August

PHYSICAL GEOGRAPHY P250/1



For purposes of impression marking please consider the following awards.

00 - completely irrelevant.

1 -8 Rudimentary facts / scattered facts.

9 - 11 'O' level answer.

13 proper factor well (c) (i)
23 proper factor well (c) (i)
23 for L=13x2 = 26+1.8
23 cm x / 3

W = 13X2 =26+1:3

1=1

F=01

CD=01 KILZO LB=0

TWORF = 02 TWO B.T = 02 27-3

Kabale Town without

12 - 14 Basic 'A' level answer.

15 – 17 Good but not outstanding.

BARATHIGA

151mal

18 - 20 V. Good answer.

21 ++ Excellent answer.

SECTION A (MAP WORK)

- l. (a) Manmade feature at grid reference 308542 is other trigometrical station. (i)
 - (1 mark) GR of the Island at Habukara is 248558 | or 240564 (ii) (1 mark)

Amplifule: Height of the hill top at Hamushanje is 75012 feet 750194 (i) (02 marks) Highertelevation -Lowest Cleranor (ii) Vertical interval

VI = Difference between two contours At Kashenyi 6500ft - 6400ft VI = 100ft V 6800ft - - 6600ft 2000f (02 marks) VI = 100 ft

Loose and bound surface (iii) VAfunction + Evidence Any 3XI VNo evidence no mark Functions of Kabale town Transport center because of roads

Industrial center because of soap and floor factory.

Educational center because of Rutooma technical center and oncer servors


Administrative center because of ministry of works, prison and police school

Residential center because of the hotels, settlements It is an employme

Burial center because of the cemetery

Any 3x1 (03 marks) A REDUCED SKETCH MAP OF KABALE BY 1/3 TIMES SHOWING

LAKE BUNYOYI, RELIEF REGIONS, BOUNDARY TYPES AND KABALE TOWN.



RELIEF REGION Upland/hilly area Gently sloping ar Low land area

Marginal information Tittle – 01

Frame - 01

WL = 01


Compass direction-

Features = -

aboundary no mark because it ademacated © WAKISSHA Joint Mock Examinations 2

When it comes to reduction or Emargement we Page 1 of 15 have only ONK frame

* factual marking is interested in asimple statement but not a concreut escan



- Gently sloping area
- Upland/Hilly /steeply sloping area
- Basin area.

VEGETATION

- Trees
- Grass

- Settlement
- Fore stry
- Road transport
- Crop cultivation

MI = 03 marks

E = 07marks

10 MARKS

DRAINAGE

Lake brangeretland (b)
use threa
Whake
Whell drained

Drainage has influenced land use pattern in the following ways; The lake /well drained have encouraged road transport in the middle and fore ground of the photograph.

The lake/ well drained have favoured forestry in the fore ground and middle ground of the photograph.

Well drained area have encouraged settlement in the fore ground and middle ground of the photograph.

Well drained area/ lake have encouraged crop cultivation in the middle ground.

Any 2x2 = 4 marks

(c) When the grea is hing it does not desarbe me stopes Start straight away with the area is background

Not interested in me

negative the need only positives unless they

have specified

Relief description;

The back ground in hilly upland high land area. | highlands
The hilly back ground has a ridge | Gentle stopes

The back ground has saddles/cols

The middle ground and fore ground are gently sloping.

- The fore ground and middle ground have basins / lake basins - The him background has steep stopes Any 4x1 = Any 4x1 = 4 marks

Challenges caused by the nature of the landscape. (ii)

• Hilly up lands/steep slopes in the background are associated with;

- Soil erosion
- Land slides
- Difficulty in construction of communication lines.
- Difficulty in mechanization of agriculture.
- Difficulty in construction of settlements.
- Lake basin in the foreground and middle ground are associated with;
- Drowning/ water accident
- Dangerous aquatic animals.
- Flooding.
- Waterborne diseases.

Any 5x1 = 5 mark

Note: Challenges must be linked to the nature of landscape.

Karjango (d) Areas

Two lim craters that - Kabarole Kabale

Kabarole | Fortportal - Rubirizi

Kabarole | Kabale | Bundi buggo |

- KISON

© WAKISSHA Joint Mock Examinations 2

+- Low lands

Reasons:

- Presence of explosion craters/craters.
- Existence of the hill upland landscape.
- Existence of numerous explosion crater lakes.

Area - 01 mark Reason - 01 mark 02 marks TOTAL = 25 marks.

Explain the processes responsible for the formation of intensive volcanic land forms in East Africa.

Candidates should define intensive volcanicity as total process through which molten rock materials are injected, cool, crystallize and solidify within the earth's crust. Give / origins

- Originates with the earth's interior. (Mantle)
- Due to spontaneous heating by radioactivity and geochemical reaction.
- The heating causes melting of mantle rocks hence convective currents.
- Convective currents and tetomic movements create lines of weakness within the earth's crust.
- The lines of weakness are then filled by magnetic materials/injected from the . . . of weakness interior due to intense pressure.
- The injection is due to viscosity/low or insufficient pressure hence cool and solidify within the earth's crust at different depth levels to form different volcanic features.
- These features do not have a direct effect/influence on relief unless they are exposed by demidational processes i.e. Meathering, erosi

Batholith; very lager dome shaped intrusion made up of granitic material.

- Formed at a great depth within the earth's crust due to deep seating of acidic magma cooling at the bottom of the earth's crist.
- Over time the batholith is exposed to form rocky highland where it is harder than the surrounding area.
- These resistant hills /out crop rocks stand out as inselbergs/residential hills Eg's include Mubende, Nakasongola, Singo, Kachunbala, Parabong etc.
- Where the batholith is weaker/softer than the surrounding walls, an Arena develops Eg's include the Rubanda Arena.

Dyke;

- ke;
 Is a vertical/wall like/steepling include rocks intended across the wall strata. Results from intrusion of igneous rocks along a vertical tissue fissures
- Where the dyke is harder than the surrounding rocks, an elongated hill/ridge develops e.g Isingiro ridges, sukuru ridges, ridges in Busia and Kisumu-Rungwa complex.
- While, where the dyke is softer, linear trenches evolve e.g. around Lake Turkana. in Kenya.

Sills;

- Tabular sheet of Igneous rocks lying along the bedding plane of the rock stata
- Formed when magma rises and spreads horizontally in between the bedding planes of the rock strata or beneath the earth's surface.
- When exposed, Escarpments/cliffs or flat topped hills are formed e.g. Kakinzi in Luwero, the Thika falls as sills are crossed by river Thika in Kenya.

Page 4 of 15

Laccolith;

- Dome shaped intrusion with a flat base.
- Formed from injection of viscous magma into the earth's layer.
- Since viscous, it forces the ever lying rocks to Heave bend upwards.
- On exposure, laccolith form uplands e.g. Voi and Kitui in Kenya.

Lapolith;

- Saucer/ "bowl"- shaped intrusion of igneous rock structures.
- Formed when viscous molten rock spreads horizontally between the rock strata.
- Heavy weight depresses the inderling rocks causing sagging/sinking.
- When the overlying rocks are exposed a shallow, wide, sancer shaped depression results e.g. Rubanda in Kabale, Kisoro etc.

NB.

- Identification of feature.
- Description | Definition
- Explanation/formation
- Illustration/diagrams.
- Examples.

Impressional marking (25 marks)

Candidates are expected; 4.

- Define drainage patterns,
- Identify and describe the different drainage patterns.
- Describe the factors for the development of the drainage patterns.

Drainage patterns refers to the arrangement plan of the river and its tributaries on the land scape where the river flows.

The major drainage pattern, include;

- Dendritic drainage pattern,
 - Is a pattern where a river and its tributaries make a tree- like plan with tributaries joining the main river at more or less acute angles.
 - Examples include R. Apwac in Kalongo area, R. Tana and R. Rufigi Illustration.
- Trellis drainage pattern;
 - Is a pattern where tributaries join the main river at almost right angles.
 - The main stream takes sharp/more or less rectangular bends.
 - Eg's include R. Pager and its tributaries in Kitgum town, R. Mayanja, Kato and Wasswa in Mityana - Mubende area ,R.Athi eti
 - Illustration
- Radial drainage pattern;
 - Is a pattern in which rivers and their tributaries flow from one common peak/dome shaped of a bicycle wheel. like me spokes of abicycle wheel
 - It's common on the dome shaped uplands like Elgon, Kenya, Kilimanjaro and Muhavura.
 - Illustration
- Centripetal drainage pattern;
 - Is a pattern which develops where rivers flow from several directions and coverage into one place which is normally a basin/depression.
 - Eg's include Lake Victoria, Lake Naivasha etc
 - Illustration

Parallel drainage pattern;

Is where stream and their tributaries flow for long distances down slope more or less parallel to each other.

It is common in areas with ridge, escarpments areas of alternate soft and hard

rcks etc.

- Eg's R.Nkusi and R.Hoima on Butiaba Escarpment, R.Chalaga, R. Rukooki and Kamulikitizi in Kasese area.
- Illustration

Annular drainage pattern;

- Is a pattern where tributaries join the main stream at sharp angles but in series
- The existence of dissected plateau, crater, caldera, dome sharper uplands, faulted zones and volcanoes.
- Eg's Ngorongoro Caldera and Bukigai hill in Bududa.
- Illustration

Hooked/Barbed drainage pattern;

- Is a pattern where stream tributaries flow in the opposite direction to the main stream before joining it, at more or less acute angles.
- Eg's include the reversed rivers of Katonga and Rwizi
- Illustration

Rectangular drainage pattern;

- Is a pattern where tributary junctions are generally at night angles and all streams major or minor are approximately of the same length.
- Illustration

Candidates are expected to bring the factors as follows;

- Relief
 - Steep slopes of volcanic cones e.g. Elgon have favoured the development of radial drainage pattern.

The steep slopes accelerate downstream movement of water.

Steep slopes such as escarpments have led to the development of parallel drainage pattern e.g.R. Nkusi and R. Hoima.

Gentle slopes far on the development of dendrific drainage pattern as the gntle slopes encourage the development both the major and minor streams.

Existence of hill separated by wide valleys lead to the development of treths breaks drainage pattern e.g R. Mayanja, Kato and Wasswa in Mityana - Mubende area.

Rock structure;

Jointed rocks have encouraged the development of treths drainage pattern.

Alternate soft and hard rocks demarcsted by joints at almost right angles to the general slope encourage treths drainage pattern.

Soft and hard rocks lying side by side encourage development of parallel drainage where rivers flow by side of each other with limited chances of joining.

Uniform/Homogeneous rocks lead to development of dendirts, radial drainage pattern because uniform rocks enable rivers to erode uniformly forming a variety of tributaries.

Tectomism:

- Warping ie area affected by up warping and down warping such as Victoria, Kyoga basins later encourage several rivers flowing from different directions into basin and this has led to centripetal drainage pattern
- Faulting has encouraged formation of joint and familihines which later promoted treth and parallel drainage pattern.

River capture;

- This encourages development of drainage pattern overtime especially where a stronger river arrests the water of a weaker neighbouring river into its own channel.
- This encourages the development of dendintic drainage pattern.

· Climate:

This is in form of rain fall. The existence of reliable rainfall in a drainage basin
is necessary to support the evolution and continued flow of the river and its
tributaries which may form several patterns like treths, parallel and hooked
drainage patterns.

Note: definition of a drainage pattern

- Description of the drainage pattern.
- Factors the development of drainage patters.

Impressional marking = 25 marks

Candidates are expected to;

- Define marine erosional
- Describe the marine erosional processes
- · Identify and describe the land forms resulting from the marine erosional processes.
 - Marine erosion /wave erosion is the progressive remolar of the weather rock materials along the coastline/shore line.
 - These materials are eroded using the waves and materials transported by the waves.
 - Marine erosion is experienced through the following mecahanism.
 - Abrasion / corassion, in the weaving away of the coast line using materials that are being transported by the wave. It involves the load eroding the shore line e.g. bonlders, shingle, pebbles etc.
 - Altrition; is a process by which materials transport by waves are worn down.
 - It involves the load eroding the load. Materials constantly collide with each other reducing in size and are moved swiftly.
 - Solution/corrosion; Is a process by which water dissolve the rock materials
 along the coast. It is common in areas where the coastline is composed of
 minerals such as rock salt and limestone.
 - Hydrantic action; This refers to the sheer force of waves to remove the loose materials from the shore line and the sea floor-e.g. sand, pebbles, Fravel and silt
- Candidates are expected to bring the manne erosional land forms as;
- Cliff; Is a steep slope over facing the sea.
 - It forms when a notch develops along the coastline due to abrasion and hydratic action
 - Repeated marine erosion through abrasion and hydrathic action causes the notch to widen and enlarge, retreating landwards to form a steep face of the rock.

- The retreat of the sea water exposes the steep face of the rock.
- The treat of the sea water exposes the steep face of the rock as a cliff.
- Eg's are found at Entebbe bolanical sardens, Kasenyi leading site on L. victoria, fort Jesus at Mombasa etc.
- Illustration

Wave cut platform;

- Is a wide plat form that dips gently into the sea.

- It is formed as a cliff retreat further in land, a gently sloping platform in left behind.
- Its length increase as a cliff retreat further in land.
- Eg's are found at Tiwi beach, Mombasa, Kasenyi on L. Victoria.
- Illustration.

Bays;

- Is a wide extension of the sea into land.
- A bay forms along a coastline with alternate soft and hard rocks
- Soft rocks are eroded away by abrassion solution and hydrantic action.
- The soft rocks are removed because they are un-resistant creating a wide extension of the sea into the land called a bay.
- Eg's Kasenyi bay, Murchsion bay, Napleon bay, Sango bay, Malindi bay etc.
- Illustration.

· Headland; projecting into the sea.

- Is a piece of land are found along coastline with alternate sot and hard rocks.
- Soft rocks are eroded away by abrasion and hydrallic action as the hard and resistant rocks protrude into the sea to form a headland.
- Eg's include Entebbe peninsular, Mweya peninsular, Nakasunda headline at Kasenyi etc.
- Illustration.

Cave;

- Is a cylindrical tunnel drilled through a jointed cliff or coastal line.
- It forms where there are joint, weak rocks relatively soft rocks.
- Wave abrassional materials scratch themselves against the shore line breaking the weak/jointed to form a cave.
- Eg's are found at Kasenyi on L. Victoria, Entebbe resort beach, Tiwi beach along the east African coast etc.
- Illustration

Blow hole,

- Is a vertical opening from the end of the cave up to the cliff.
- Hydrattic action within the cave creates great pressure.
- Pressure opens up a hole slowly that opens up onto the cliff.
- The opening is called a blow hole.
- Eg's are found at Kasenyi on L. Victoria, Entebbe resort beach and Malindi along the East African coast.
- Illustration

· Geo:

- Is a narrow steep sided inlet along a cliff.
- It is a triangular extension into a cliff.

Page 8 of 15

- It is formed by hydratic action that pushes water into a blow hole, exerts pressure and leading to the collapse of the roof of the cave.
- This results into an extension called a geo.
- Eg's are found at Kasenyi landing site on L. Victoria
- Illustration.

An arch;

- Is a whole or an inlet that drives through the headland or it is a bridge like feature that is seen-mitin the head land.
- It is formed when there are lines of weakness that go night through the headlines or existence of a cave on one side of the headline.
- Due to abrasion and hydrantic action, acave is drilled from one side of the head land until it connects to the cave roof occurs; the natural bridge is called an arch
- An example is the Vasco Da Gama pillar at Mombasa.
- Illustration

Stack;

- Is an isolated rock pillar/ feature completely detached from the main land
- Due to abrasion, solution and hydratic action, over time an arch which is just the long roof the cave becomes thinner.
- It eventually collapse leading the outer support of the arch as a pillar of the rock separated from the main land /head land.
- This is called a stack
- Eg's are found at Kasenyi on Lake Victoria and near Entebbe airport on lake Victoria.
- Illustration

Stump;

- This is residue formed when a stack is worn down.
- A stack will gradually be eroded by abrassions, attrition and hydrantic action until it is worn down.
- Eg's are found at Kasenyi landing site on L. Victoria and near Entebbe airport.
- Illustration.

Candidates are expected to;

- Identify the feature.
- Describe the feature.
- Illustrate.
- Give examples.

Impressional marking = 25 marks

Candidates are expected to;

- Define land and sea breezes.
- Give areas where they occur
- Give the causes of land and sea breezes.
- Give the effects of land and sea breezes
- Land and sea breeze are local winds which occur in areas where land is lying in close proximity to a water body.
- Examples include; around the shores of L. Victoria, the coastal areas of East Africa, shore of Lake Kyoga etc.
- Land breeze blows from land to the sea/ lake and occurs during the night.


Page 9 of 15

Sea breeze blows from the sea to the land occurs during the day.

Causes of land breeze (occurs during the night)

- Loss of temestrial radiation at coastal lands at night. Land cools faster than the sea/water hence temperature are cooler over land than the sea/ water which retains much of its heat.
- Water loss heat more slowly such that the air above it also warms up.
- Low pressure is created over the warm sea and high pressure over the cold land.
- Cool air from the land under high pressure blow towards the sea to replace the warm rising air hence land breeze.

Diagram to show land breeze.




The causes of the Land and Sea breeze is embed in the descriptions

Causes of sea breeze(occurs during the day)

- There is intensive heating of coastal areas during the day.
- Land warms faster than the sea hence temperature are high over the land and colder over the sea.
- Convective currents of warm air rise over the land and create low pressure at the surface.
- Cool and moist winds from the sea blow towards land to replace the rising air i.e. from high pressure to low pressure on land.

Diagram to show sea breeze



General factors of land and sea breeze.

- Differences in specific heat capacities of land and sea.
- Mobilizing of water compared to solid land.
- Heat transmission through transparent water as opposed to opaque land.

- Differences in reflecting capacity of land and water/ Sea

Impressional marking 17marks

Effects of land breeze.

- Lowering of temperature over the sea.

© WAKISSHA Joint Mock Examinations_2

Page 10 of 15

- Lead to formation of foggy/misty conditions over the lake which results into poor visibility.
 - Off-shore rainfall is formed.
 - Dry conditions on land because of little or no rainfall received.
 - It results into violent thunderstorms.
 - It results into high humidity in the sea/ lake.
 - There is formation of cloud cover over the sea.

Factual marking 04 marks

Effects of sea breeze.

- Lowering of temperatures on land especially in the afternoons.
- It leads to formation of foggy/misty conditions on land which results into poor visibility.
- On- shore rainfall is formed which is usually received in early mornings and afternoons.
- It results into violent thunderstorms.
- It result into high humidity on land.
- There is also formation of cloud cover over land.

Factual marking 04 marks.

Candidates are expected to illustrate their answer with valid examples.

Maximum 08 marks

Total = 25 marks

- 7. Candidates are expected to;
 - Identify area in East Africa that experience semi- desert vegetation.
 - Describe the characteristics of semi-desert vegetation.
 - Bring out the physical conditions that have influenced semi-desert vegetation.
 - Bring out the other factors.
 - Conclude with a judgment.
 - Semi- desert is found in Northern Kenya, North Eastern Uganda, Albert flats, Ankole- Mukasa corridor etc.
 - Semi desert vegetation is characteristed by;
 - The vegetation has bushy, thorny trees with scrubs growing between them.
 - Trees have waxy leaves to prevent moisture loss.
 - Trees have deep/tap roots that enable them to draw water from the underground sources given the limited surface moisture.
 - Many plants have tiny, thorny leaves which help them to reduce the rate of water loss.
 - Trees have swollen trunks in which they store water for use during the dry season.
 - Many plants produce seeds which are dormant for years until little rainfall is received then they germinate.
 - Thickets are separated by patches of bare grounds and short grass.
 - Many plants complete their cycle within a few weeks before the soils completely dry up.
 - The bushy thorny trees have a height of 5-10 M tall.
 - Some plants are halophytic growing in areas of saline soils.
 - The most dominant plants xerophtes. These are plants that are highly tolerant to drought and can survive in dry areas e.g Emphobia, cacti.

exopustes

Page 11 of 15

Trees have thick fleshy appearance on the leaves and stems.

Some plants such as cactus are widely spaced to avoid competition for water.

Trees have thick barks to control loss of water through transpiration.

Trees are fire resistant because of the thick barks.

- Seeds of semi-desert plants have a thick cause that protects the inner center from bush fires.
- Grasses are short.
- Grasses turn yellow in the dry seasons.
- Candidates should bring out the role of physical conditions in the distribution of semi and vegetation as; To agreater extent

Climate;

- Hot temperature above 30°C with dry winds and high rates of evaporation favour growth of short grasses and scattered trees.
- Prevance of low rainfall ranging from 250 625mm which is unreliable that can't support luxuriant vegetable cover.

Very low levels of humidity due to absence of a big water surfaces.

- Long/existence periods of drought hence growth of short, stunted, scattered trees.
- Soils;
- Existence of infertile, sandy, skeletal soils with limited humus content discourage the growth of luxuriant vegetation.
- Highly porous soils with low moisture retention capacity hence scattered trees and short grass.
- Relief;

Semi – desert vegetation generally grows in area low lying relief with less than 1000 a.s.l without-temperature and low rainfall.

1000 a.s.l without-temperature and low rainfall.

The lee-ward side of mountains has led to growth of drought resistant trees in area of Turkana land.

Drainage;

Due to limited surface drainage, dwatft, small, brittle plants grow in scattered

In areas of salt depressions, halophytic plants such as salt bushes grow.

Biotic factors;

Wild animals feed and destroy woodlands and grass lands into dry bushes. Termites and locusts also destroy grass lands leading to emergence of dry

Actitude below 1000 mass weither off and very hot temperatures.

Candidates should bring out other non- physical factors as;

- Conservation policies by the government have encouraged the growth of semiarid vegetation
- Overgrazing and overstocking.
- Bush burning.
- Sinking of bore holes.
- Deforestation.
- Charcoal burning
- Mining and quarrying. Roads
- Construction works ie. Wards, settlement etc.
- Agricultural activities etc
- Conclude with a judgment.

Loual soils are entirely formed by physical factors.
Ho war plo burrowing animals

Page 12 of 15

© WAKISSHA Joint Mock Examinations_2

No evaluation, should not go beyond 10 mpg. - Conclusion - They develop in areas of seasonal rainfall. They develop in areas of seasonal rainfall. Sienzerms They are associated with less leaching.

Impressional marking. Content = 23 marks Evaluation = 02 marks Total = 25 marks

Common in Nyakasura and tororo areas vocasian praines.

-★ Factual marking 03 marks.

Sierozerms are zonal soils that have high salt content, they are also called the inconolidated and areas associated with hot absolute temperatures and very law reinful.

temperatures and very low rainfall. $^{\prime}$ \vee

They are also associated with less leaching.

Common in Katwe, Magabi and Nothern Kenya.

Factual marking 03 marking 06 marks How we rest rosers

(b) Account for the formation of zonal soils

- Candidates are expected to;
- Define zonal soils
- Classify the zonal soils.

Provide factors for the zonal soils.

Zonal soils are largely a result of climate types factors which contribute to the soil forming processes.

X-tics

- They are mature soils with well-developed profiles due to prolonged action of climate and vegetation.

Zonal soils develop under conditions of food drainage i.e. they are well drained undulating

They also develop gentle slopes, flatlands and sometimes underlating land

Zonal soils are divided into two i.e pedalfers and pedocals.

The resultant soil type are closely related to the nature of weathering that takes place under specific type of climate. The resultant soil types include;

- In how latitude areas that experience hot lymid conditions. This encouraged leaching and elluviation giving rise to latosols, the tropical black earth soils (basisols) e.g. the fat topped hills of Buganda land scape. Hornewaves of

-> In mid latitude areas/climate associated with Savanah climate of alternate wet and dry seasons, this has resulted into the development of tropical brown earth soils and the podsols e.g. in parts of Northern Uganda.

In areas receiving seasonal rainfall and where there is less leaching, chemozerm or praire soils have developed.

In semi - arid and arid areas associate with hot absolute temperature and very low rainfall have resulted into the development of sierozerms (chestutt coloured) soils that have high salt content e.g in katwe areas, Magadi and Northern Kenya.

In high latitude climate (cold climate regions), the cold temperatures are associated with the development of artic brown soil tundra soil e.g. the upper

slopes of the Rwenzori, Kenya and Kilimanjaro mountains.

Page 13 of 15

The factors for the formation of zonal soils include the following;

· Climate;

Low latitude areas experience hot and wet conditions associated with heavy rainfall that leads to leaching of silica while iron and aluminium accumulates leading to the formation of reddish brown souls called laterials e.g. the flat topped hills of Buganda landscape.

Humid sub- tropical and temperate lead to formation of brown earth soils /podsols due to leaching that result from humid conditions and humification

due to thick vegetation.

- Seasonal rainfall leads to formation of chernozerms that tend to be black with a lot of humus due to limited leaching.

In semi – arid areas, there are sierozerms/chestnut coloured soils due to high

evaporation rates and limited leaching.

- Cold conditions in high latitude areas result into the tundra/arctic brown soils due to limited leaching and other soil forming processes.

Nature of the parent rock

- Rocks with calcium carbonate give rise to pedocals mainly in the dry areas and areas of seasonal rainall.
- Rocks with iron and aluminium have led to the formation of pedalfers which form in hot humid conditions
- Rock permeability ie permeable rocks such as limestone allow leaching, elliviation resulting into removal of Silica while iron and aluminium are deposited on the layer leading to laterites.
- Soft rocks like limestone are wealthered by physical and chemical means which encourage the development of mature soils like laterites.

· Relief:

- Laterites form on gentle slopes low lands and flat topped hills where there is water percolapion leading to leaching and elliviation.
- Gentle slpoes are well drained which characterists zonal soils as well developed soils.

Drainage;

- Zonal soils are found in well drained areas allowing leaching, eilluviation leading to the formation of laterites.
- The food drainage conditions allow accumulation of salts and calcium in the top soils leaching to the formation of pedocals.

Biotic factors;

- Thick vegetation under hot and wet conditions leads to decay of the leaf liter dissolving it and leaching of silica leads to laterites.

Thick vegetation cover binds soil particles together and encourages infilteration

of water leaching to the formation of zonal soils like podsols.

- Brown earth soils (podsols) are found in deciduous and comiferous foreted areas.

Time

 Zonal soils form over a long period of time which leads to formation of mature soils like latosols

Page 14 of 15

NB; Emphasis should be piton Factor Process of soil formation. Resultant zonal soils

Impressional marking 19 marks Total 25 marks

Clarity in expression

NO F. Cliff

J'B The humanfactors cave

must give alranishion from

from the near by savana regetation (and)

from the near by savana regetation (and)

into Seni and regn.

into Seni and regn.

I physical factors are generally regarded changing sure

regetation into sening and regetation. TAKE SERIOUS HOTE OF

Meathering.
Vegetation.
Vogetation.
Vanage parterns.
Coastal geomorpholog-

C WAKISSHA Joint Mock Examinations_2


Page 15 of 15

WAKISSHA JOINT MOCK EXAMINATIONS MARKING GUIDE Uganda Advanced Certificate of Education **GEOGRAPHY P250/2**

GUIDELINE FOR AWARDS

Marking is done by impression as below

| *************************************** |
|--|
| *************************************** |
| *************************************** |
| *************************************** |
| |
| |
| |
| ING SYSTEM |
| OING SYSTEMD ₁ |
| |
| D ₁ |
| D ₁ |
| D ₁ D ₂ C ₃ |
| D ₁ D ₂ C ₃ C ₄ |
| D ₁ D ₂ C ₃ C ₄ |
| D ₁ D ₂ C ₃ C ₄ C ₅ |
| |



Outline/O' level essay

Comment

Marginal/unbalanced

Basic/General answer

Average essay/answer Good answer/essay

V. Good points, Good explanations. Examples

Excellent introduction examples balanced conclusion sketch maps.

SECTION A

١.

(a) Total

Angola: 3,109 + 3,179 + 3,795 + 4,316 = 14,399Sudan: 1,933 + 1,826 + 2,269 + 2,790 = 8,818

Calculating radius

$$r = \sqrt{\frac{A}{\pi}}$$

Angola:

Sudan;

$$r = \sqrt{\frac{14,399}{3.14}}$$

$$r = \sqrt{\frac{8,818}{3.14}}$$

$$=$$
 67.7 $=$ 6.8


$$\frac{52.9}{10} = 5.3$$


Cal. 2mks

| 0.0 | <u>52.7</u> 5.5 | Cai. Ziiiks |
|---|---|--|
| | 10 | . A . D . |
| ng degrees | | 11. Scale Ehould ke |
| Angola | Sudan | The Scale Should be Sterliel. |
| $\frac{3.109}{14.399} \times 360^0 = 77.7^0$ | $\frac{1,933}{8,818} \times 360^0 = 78.9^0$ | |
| $\frac{3.179}{14.399} \times 360^0 = 79.5^0$ | $\frac{1.826}{8.818} \times 360^0 = 74.5^0$ | |
| $\frac{3,795}{14,399} \times 360^0 = 94.8^0$ | $\frac{2269}{8,818} \times 360^0 = 92.6^0$ | T= 1 |
| $\frac{4,316}{14,399} \times 360^0 = 107.9^0$ | $\frac{2790}{8,818} \times 360^0 = 113.9^0$ | A = 4 N = 1 KI = 1 |
| | | Angola Sudan $\frac{3,109}{14,399} \times 360^0 = 77.7^0$ $\frac{1,933}{8,818} \times 360^0 = 78.9^0$ $\frac{3,179}{14,399} \times 360^0 = 79.5^0$ $\frac{1,826}{8,818} \times 360^0 = 74.5^0$ $\frac{3,795}{14,399} \times 360^0 = 94.8^0$ $\frac{2269}{8,818} \times 360^0 = 92.6^0$ |

5=01

A proposed much divided writer showing the value of hool Imperso for Columbia Des Des Courties in Millian Sudan Im 2000 + 2003





© WAKISSHA Joint Mock Examinations_2

Page 2 of 18

Merits

- Easy to draw / construct
- Good for visual impression
- Can be super imposed
- Good for comparison
- Has simple calculations
- Represents a lot of information
- Easy to read and interpret

Demerits

- Time consuming with many calculations
- Uses secondary information
- Can be congested with many items
- Difficult to get scales with big range
- Has many tedious calculations
- Hard to maintain accuracy (2marks)

(3marks)

c) physical factors

- The poor climatic conditions discouraging agriculture thus promoting importation of food products.
- The rugged nature of the landscape which hinder crop growth.
- The presence of pests and diseases which attack crops and therefore reduce food production
- Infertile soils causing poor agricultural production
- Shortage of land for agriculture causing low production
- Poor breeds causing low agricultural production
- Occurrence of natural calamities and hazards destroying crops and livestock
- Presence of other resources diverting labour and capital
- Presence of obstacles discouraging agricultural production (*)

•

•

Nb: choose a case study.

5marks

d) Steps taken

- Use of artificial fertilizers and composite manure on exhausted soils to allow maximum crop growth and yields.
- Control of pests and diseases, by spraying, dipping, crop rotation, etc.
- Introduction of drought resistant crops and animal breeds or varieties.
- Introduction of better crop and animal varieties i.e drought resistant, quick maturing and high yielding.
- Proper animal husbandry which will involve keeping good animal breeds and development of disease resistant breeds through cross breeding, dipping and spraying.
- Use of better and modern farming methods and agricultural practices e.g. irrigation, plantation, dairy farming etc.

© WAKISSHA 2

Page 3 of 18

- Use of modern and better storage facilities e.g. silos encouraging continuous production without any rest in farm operations.
- Improved technology by use of modern equipment like tractors, weeders etc.
- Increased available land for agriculture through; irrigation in arid and semi-arid lands. These areas have good soils but they only lack water, swamp reclamation so as to bring the neglected poorly drained areas into agricultural
- Established settlement and resettlement schemes in the neglected areas hence reduce population pressure on land giving way for agriculture.
- Improved transport and communication in rural agricultural areas linking them to existing markets.
- Changed the land tenure system especially where communalism and customary land ownership exist
- Encouraged land consolidation where land fragmentation exists to allow easy mechanization for improved yields
- Availed agricultural credit (soft loans) to farmers for investment in agriculture.
- Encouraged agricultural diversification by growing different varieties of crops and keeping Various types of animals.

•

•

Nb: follow the tense used.

5 marks Total 25 marks

SECTION B:

2. To what extent can nomadic pastoralism be regarded as the best land use of the semi-arid areas of Africa?

Approach:

- Define nomadic pastoralism.
- Locate the areas.
- Give its characteristics.
- Asses favourable factors.
- Problems caused.
- Other possible land use patterns.

Cutaistance

Nomadic pastoralism is the keeping of animals for substance involving movement from one place to another with animals searching for water and pastures. It is characterized by keeping local breeds, in area with low population using traditional methods of farming valuing quantity rather than quality. Areas important for nomadic pastrolism include.

© WAKISSHA 2

Page 4 of 18

- The Fulani region.
- Turages Berbers in the Southern desert of Sahara.
- Karamoja in North Eastern Uganda.
- Masai Kenya and Tanzania.
- Somalia
- Karahali Desert (Bushmen and Hottenntos).
- Southern Sudan (Nuers and Dinkas)
- S. Africa (Koikois)
- Turkana in Northern Kenya

They have made the best use of semi-arid environment areas as follows.

- The areas have low population giving enough land available for nomadic pastoralism e.g the Fulani in the Sahel region.
- Savanah grass lands provide natural pasture for animals in nomadic regions e.g Ankole, Masaka, Karamoja and Turkana.
- Low rainfall, with dry conditions and prolonged droughts in semi-arid areas are not good for other economic activities hence influencing or attracting nomadic pastoralism.
- The relief is flat and gently slopping leading to easy movement of people with their animals.
- The communal land ownership allows free movement of people with their animals.
- The cultural attitude of valuing quantity rather than quality leads to a nomadic culture of keeping large numbers of animals e.g the Karamojong, Turkana, Nuers and Dinkas.
- Keeping local breeds e.g the short horned for Karamojong which are resistant to diseases and can survive the dry conditions.
- Presence of pests and diseases like rinderpest, foot and mouth, east coast fever and anthrax in Masai land giving room for only keeping local breeds.
- Limited water bodies like lakes, rivers, swamps etc hence keeping breeds like long horned cows in Ankole-Masaka dry corridor which can survive such hard conditions.
- Poor infrastructure like roads, railways etc affecting marketing hence keeping animal for subsistence purposes.
- Limited government support keeping the areas backwards and occupied by backward people with their traditional methods of agriculture.
- The problem of cattle rusting has scared other people leaving only nomads to occupy the land like Turkana, Karamojong, Masai, Dinkas, Nuers etc.
- United mancel for their animal products

However the nomadic pastoralists have not made the best use because they destroy the environment as follows.

- Overgrazing caused by overstocking leading to soil exhaustion like in Masailand Karamoja, etc.
- Bush burning in anticipation to get fresh pastures has led to growth of poor vegetation like shrubs and thickets e.g in Ankole-Masaka dry corridor, Karamoja, Turkana, Masai etc.
- Environmental degradation because of deforestation, bush burning and using poor methods of farming.

· Boy spread of directs due to temment grang

On the other hand there are other land use patterns which have not been given a chance in the areas.

- Arable farming like the growing of maize, millet, which are drought resistant crops in Sahel region.
- Development of the tourism industry. The dry areas could be gazzetted for animals and plants e.g at Kidepo national park, Tsavo, Serengati, L. Mburo, Limpopo in South Africa.
- Mining sand which is used for building and construction purposes like Sahara desert.
- Bee keeping (epiculture) because of its savannah climate with savannah grassland and scattered trees like the Miombo wood land in central Tanzania.
- Charcoal burning due to the presence of savannah woodland like acacia which is good for fuel on commercial and subsistence basis like central Tanzania.
- Development of resettlement schemes, irrigation schemes keeping the landless people like Mubuku.
- Development of industries like amunition manufacturing, space crafts because of low population and open pace.
- Promoting forestry industry because of low population leading to afforestation programmes.

· Fightenming (augus without of Ranchen to reduce eng sprend of development of Transport Infantivation for early accessibility.

Impression marking 25 marks

OWAKISSHA 2

Page 6 of 18

Explain the factors which have favoured the development of forestry industry in the temperate region of Canada or Tropical Equatorial Region of Gabon.

Approach:

3.

(25 marks)

- Candidates should select a case study.
- Define forestry / characteristics
- Give areas / species
- Factors which are physical and human
- Forestry is the scientific management of forests involving exploitation, conservation and a forest is a concentration of trees and vegetation.
- Boreal forests in Canada are found in Bullish Colombia around Alaska R. Frazer, R. Skeena, R. Shkine, Highlands, mountains. 7 wasal rapper, Day who
- Have soft wood species like Cedar, pine, lypress, spruce with short gestation pure stand, small needle shaped leaves.
- Equatorial forests in Gabon are found near R. Ogouwe, R. Livindo, Mt. Ibugi, Port Gentle, Port Qwento, Port Libraille areas of Masaku Mekambako.
- Have hard wood species like Mahogany Ozigo, Ozobe, Muvule Ebony, Iron wood with long gestation Buttres roots, broad leaves, impure stand.
- B. c Carula found in N.A Gerban found in west Afra · Tres: reglen hambord, ceders, sprice Trees, Aroke, origo, Okume, Malugary.
 · Tourne Variance, Ortain, charack, and Tours librarie, Gentile, awards, France
- · xh's: Short gestation, Medelle leewer, princ. x-tes: long gestation, Impure stend.

 Heterogenius.

The factors for forest exploitation are physical and human.

- Nature of the forests making exploitation easy like short gestation.
- Relief of the landscape topography relief, features like lowlands, highlands, mountains, lowlands Gabon Mordam Canada. Hlanf for councida
- The climate and weather conditions of the place like Equatorial Gabon temperate Canada.
 - Presence of commercial and variety of species for high production marketing.
 - Limited resources like mineral discouraging other activities.
 - Presence of drainage features for water transport, fertile soils.
 - Extensive land because of sparse population giving a wide area commercial forests.
 - Strategic location near ports, transport routes, markets and industries.
 - The soil types like fertile soils for Gabon and infertile soils for Canada.
 - Limited physical obstacles, landforms making exploitation easy and cheap.
 - · Latitudinal location like Gabon near Equator, wet conditions, Canada far with cloads) cold conditions.
 - Political stability and security for investment, infrastructure and social service.
 - Government policies like gazetting, giving loans and conservation.
 - Wide market both internal in towns and external exporting to other countries.
 - Adequate capital for investment like equipment industries, transport, research.
 - Labour supply skilled, unskilled for lumbering, industries like immigrant labour.
 - Good relations with other countries for marketing, loan, transport.

© WAKISSHA 2

Page 7 of 18

- Improved transport like roads, railway lines, ports, water ways.
- Research stations for afforestation, reafforestation processing marketing.
- Presence of industries like Saw mills, Carpentry, furniture, art and craft.
- Power supply by using coal HEP oil for lumbering processing.
- Improved technology helping in lumbering processing conservation for sustainable development.
- Nature of the population being hardworking, innovative, good planners.
- Presence of entrepreneurs and big companies for good management, better services and high population.
- u
- •
- •
- .

- Impression marking 25 marks
- 4. Explain the problems faced by the mining industry in either Democratic Republic of Congo or USA.

 Approach: (25marks)
 - Choose a case study
 - Define mining
 - Give types, areas, methods
 - Problems physical and human

Mining is the extraction or exploitation of earth resources found in rocks as organic, inorganic, substances naturally like metallic minerals, none metallic minerals and mineral fuels.

DRC

DRC is a developing country found in Central Africa Congo basin Tropical Africa. It has mineral resources like copper, gold, diamond, uranium, oil, led, zinc, iron ore, cobalt.

The mining areas include Shaba province, Katanga region, around River Congo, Mt, Rwenzori, Ituli forest, Kivu province. Wollwezi, Kembene, Kipush The mining methods include open cast, adit mining, drilling, alluvial mining

There are physical and human problems hindering the development of mining.

- Poor science and technology affecting exploitation and processing and causing low production.
- Limited market because of few industries and competition with other countries like DRC, China.
- Over exploitation of minerals causing exhaustion especially the exposed minerals.
- Minerals found in deeper layers (concealed minerals) increasing on cost for exploitation by using adit mining.

© WAKISSHA_2

Page 8 of 18

- Limited skilled labour to help in the exploitation of minerals and to work in processing factories leading to high costs of using expatriates.
- Occurrence of accidents causing destruction of people and property, scaring the miners because of floods, landslides, power problems.
- Presence of minerals in small quantities e.g. lead, zinc, aluminum, manganese.
- High transport costs because of minerals in deeper layers and for exporting minerals because Zambia is landlocked.
- Presence of physical obstacles affecting exploitation like relief features, land forms, thick vegetation, drainage features.
- Limited power supply because of depending on HEP affecting exploitation and processing.
- Limited capital to purchase modern equipment to construct processing factories, transport routes because of low income which leads to low production.
- Presence of other economic activities depending on other resources causing diversion of labour and capital like into agriculture, trade.
- Poor government policies like high taxes, not giving loans affecting the mining sector.
- Profit repatriation by foreign investors like Anglo-American company causing capital outflow and lowering the national income.
- Marketing problems because of price fluctuations on the world market, poor advertisement, having substitutes.
- Pollution of air and land around the mining areas, processing factories, affecting labour supply.
- High costs of living around mining areas because of dense population leading to high costs of labour like in the mining towns of Ndola, Kitwe.
- Political instabilities and insecurity in neighbouring countries like DRE, Zimbabwe, Angola scaring foreign investors and attracting transport routes.
- Presence of wild animals, pests and diseases scaring off workers and investors.
- • Wet equatorial climate like heavy rainfall affecting transport causing accidents.
 - Presence of thick impenetrable equatorial forests discouraging mineral exploitation.
 - Presence of hostile tribes like the pigmies, shifting cultivators, hunters scaring the workers.
 - Smuggling of minerals by neighbouring countries causing over exploitation, mineral exhaustion, loss of taxes.
 - · linter Research
 - · Nouv magit of the mining Sector leading to poor sves, complian

USA

USA is a developed country in North America and it is rich with mineral resources like iron ore, phosphates, aluminum. Mining areas in USA are the Great Lakes, Meşabi region, California desert, Tennessee valley, Rocky mountains, and Appalacian mountains, New England, Mbancs, Her Bringham

- High transport costs because of minerals in deeper layers like concealed coal and iron ore transported by using railway wagons moving on conveyor belts.
- Temperate climate like winter and snow affecting transport and labour productivity
- because the roads are frozen and people keep indoors.

 Over exploitation using mineral exhaustion like exposed coal and iron ore leading to high costs of using Adit mining.
- Competition with other countries like coal from S. Africa using other substitutes i.e. Nuclear energy for powers, scrap for iron and steel reducing market for
- Limited and unskilled labour like casual workers to work in the mines, factories because of increased standard of living, low population growth rate leading to increased costs of using immigrants.
- Accidents in the mines destroying people and property caused by floods, power problems, landslides making the mining sector risky.
- Increased costs of living because of death population in the mining areas of Ruhr Merada auto conurbation leading to expensive labour.
- Poor quality minerals in small quantities and scattered not good for commercial exploitation like gold, lead, zinc.
- · Minerals in deeper layers like concealed coal, iron ore, leading to high costs for exploitation, transport and causing many accidents.
- Presence of physical obstacles like relief features, drainage features, thick vegetation affecting exploitation and transport in the Rhine rift valley. Great lakes region
- Government policies like gazetting mining areas for environmental conservation discouraging mineral exploitation.
- Pollution in the mining areas and industries because of wastes and sewage discouraging labour supply.
- Presence of other resources leading to other economic activities like industrialization, agriculture, trade, transport, causing diversion of labour and capital.
- Marketing problems because of competition, price fluctuations, having other substitutes like using scrap affecting planning.
- Conflicts and tensions like labour strikes in the mines causing destruction of people and property.
- Limited power supply due to exhaustion of coal, oil, natural gas, limited potentials of HEP and limiting the use of nuclear by United Nations.

Impression marking 25 marks Page 10 of 18

© WAKISSHA 2

Examine the impact of rapid industrial development on the environment in either the Ruhr region of Germany or China. (25 marks)

Approach:

- Candidates should select a case study.
- Define industrialization
- Give types and areas
- Explain effects positive and negative

Industrialization is the use of raw materials into finished products using labour and capital.

Ruhr region of Germany found R. Ruhr, R. Lippet, R. Wupper with types like Engineering, Iron and Steel chemical electronics, Machinery, Food processing, Transport equipment, Towns like Dursburg, Essen, Bonchum, Duns Dolf Cologne, Wappetal Liverkusen Dortmond.

China is found in S E Monsoon Asia with high rate of industrial growth.

Types electronics, chemical, vehicle assembling, food processing, home appliances.

Towns; Beijing, Tianyin, Shangai, Machurm Canton valley, Hong Kong.

The effects impact on the physical and human envir.... are positive and negative.

Positive effects:

ositive effects:
- Impurement in Science and wall
Employment opportunities leading to high standard of living

- Government revenue by taxing people, companies, improving national income.
- Improvement in transport like rods, railway lines, ports.
- Provision of social services like water, power, health
- Provision of market for other sectors like agriculture, mining Um
- Economic diversification like trade, mining, fishing, transport, reducing dependency.
- Capital accumulation by attracting investors.
- Promotion of international relations leading to international trade and security.
- Education and skills through experiments, research for better skills and technology.
- Development of tourism industry earning foreign exchange.
- Self sufficiency by producing basic needs i.e. food, clothes
- Reduced pressure on land and agriculture
- Resource exploitation like mineral, forests, water for economic growth and development. - Lywork of Trum and proofs - eclucation + Research leading

 Alternative land use by using limited land.

 Low better Knowledge

 Alternative land use by using limited land. However, there are negative effects;

Pollution of air, water and land by wastes and sewerage. Pollution lozar layer

Profit repatriation for China causing capital outflow.

Environmental degradation through construction, getting raw materials / Veg / Swarp
reclared as Page 11 of 18

- Chiase Change WAKISSHA_2

Social hymshicture / Social- Services.

- Over exploitation of resources like mineral, forests, water.
- Urban problems like high cost of living.
- Regional imbalance causing economic problems
- Accidents destroying people and property by machine cut, fire outbreak.
- Unemployment because of capital intensive technology.
- Diversion of labour and capital affecting other sectors.
- Displacement of people and activities by gazetting area.

Rollution/ozon layer

Impression marking 25 marks

6. For either New York or Rotterdam discuss the factors that have led to its development as an urban centre.

Approach: gazened by Choose the case study. Define urbanization. This 2 who Locate the areas covered. Give factors for urban development.

-Am Internation part (Intaul parti) (entry port) along the Alones of Mont sen / Allantic O Cean with me as her hinterland.

Answer - NEW YORK.

Urbanization is the growth and development of towns and ports with increasing population living in urban areas. New York is found in North America. It is a town, industrial centre, and a leading port in USA. It covers areas like Manhattan Island, Bronx, Brooklyn, Queen's Station and Long Island.

Its growth and development is due to physical factors and human activities as discussed below:

- Presence of a natural harbour and port protected from strong waves by islands and being indented and irregular with less accidents.
- It is ice/frost free with no winter and snow therefore used throughout the year
- It has a low tidal range with weak waves causing fewer accidents.
- · Availability of a rich hinterland of USA and Canada with many exports like wheat from Canadian prairies, industrial products from the great lakes making it busy throughout. Hear
- It is strategically located near the Atlantic Ocean having its own port and using cheap water for navigation easily connected to other continents like Europe, Asia and South America.
- Improvement of transport infrastructure and communication with roads, railway lines, port facilities, airports, canals, pipe lines, connecting New York internally like St. Lawrence sea way, Kennedy airport, New York airport etc.
- Relief which is flat and gently sloping e.g Manhattan Island leading to easy construction, transport, mechanisation and drainage.
- Presence of hard granite basement rocks giving a firm foundation for the

© WAKISSHA 2

Page 12 of 18

- construction of skyscrapers like the world trade centre, UNO building on Manhattan island etc.
- Water supply like from Atlantic Ocean used for domestic purposes, industrial establishments and for dumping wastes and sewerage.
- Presence of deep water accommodating large ocean vessels like oil tankers, ships carrying exports and inputs like wheat from Canadian prairies, minerals from the Rockies, Appalachian montains and Mesabi region.
- Availability of capital for purchasing modern equipment and building modern facilities like airports and canals.
- Favourable government policies like developing infrastructure, construction, maintenance and rehabilitation.
- Political stability since independence attracting local and foreign investors limiting defense budgets and supporting development.
- Presence of a high population providing enough labour supply and market for economic activities like trade and industrialisation.
- Good social services like health centres, schools and power supply attracting many people for settlement because of high standards of living. Colombia University is one great attraction.
- Improved science and technology leading to skilled labour for resource exploitation and putting up modern facilities like skyscrapers on Manhattan Island.
- Good international relations with neighboring countries e.g Canada and foreign countries using it as a port and making it busy.
- Alternative land use because of its limited resources, land therefore is not good for other committee activities leading to parts, towns and industrial areas.
- The soil types being marrum and lateritic helping in construction of buildings and transport routes by giving a hard basement.
- Presence of many economic activities like industries, trade, tourism and transport attracting many for employment and investment contributing to its economic development.
- It has a good shoreline with limited impediments like swamps, papyrus and water hyacinth making it a good international port. and apportunite
- Historical and cultural factors like the early settlers of New York from Europe who came with enough skills which were used to transform and develop New York.
- Availability of land gazetted by the government for establishment of ports, towns and industrial centres contributing to its development.

Impression marking 25 marks

© WAKISSHA_2

7. Assess the role of railway transport to the economic development of either Zambia or Switzerland. (25 marks)

Approach:

- Choose a case study
- Define railway transport
- Give railway routes
- Explain the advantages and disadvantages

Transport refers to the physical movement of people goods and services from place to another. Railway transport is by use of trains using railway lines mostly for transporting bulky and heavy goods for long distances.

- Zambia Railway transport runs from Kapirimposhi Dar-es-salam and also connects to other areas like Lusaka and Zimbabwe.
- Switzerland areas include the Alps and Jura and connects to towns Basel, Zurich, Lucern, Geneva, St. Gallen Winterthirand others.

Positive effects

- Facilitated mineral exploitation hence improvement of the economy of minoral Stimulated / development / import in TP
- Urbanization / settlement
- Encourage international relations
- Agricultural development has been stimulated as agricultural imports can conveniently be moved.
- It facilitates forest exploitation by conveniently transporting timber-
- Development of tourism industry by transporting tourists to major tourists centers
- Fishingthas developed near Cape town, Port Elizabeth, Durban
- Industrialization has been facilitated through convenient marketing of industrial imports.
- Attraction of foreign investors
- Provision of employment to individuals
- Remote areas especially in the north, forested have been opened up.
- Foreign exchange has been earned through taxing on imports and services.
- Government revenue is earned by taxing employees on the railway systems and related projects.
- Trade and commerce have been stimulated as railway transports goods and services to world market like Mozambique, Zimbabwe, Namibia, etc.
- Economic diversification
- Promotion of research and education
- Cornection to other Fransport noutes

Negative effects

- Congestion of vessels and wagons at railway terminals.
- Displacement of people during the construction of railways
- Resource exhaustion thus increased exploitation e.g. gold mining / copper
- It has promoted urban problems like prostitution, poor sanitation
- It has promoted accidents along the railways leading to destruction of property.
- Influences environmental degradation through construction.
- Promotion of regional imbalances in economic development in areas served by railway lines.
- Promotion of landslides and mass wasting as rocks and steep terrain are
- Rural urban migration affecting agricultural sector
- Soil erosion causing soil exhaustion.
- Less flexible and convenient
- Landslides and mass wasting causing destruction
- Urban problems by high population
- High expenses diverting labour and capital
- Slow and not suitable for perishable goods of very etables and fruits.
- Different goods-
- Cheap transport destroys other means of transport

High costs of maintenance I bouling and off backing, Transport.

Impression marking 25 marks

- los of manes.

(a) Differentiate between renewable and non-renewable natural resources. 8. (5marks)

With specific examples from any one Tropical African country, examine (b) the measures being taken to conserve the renewable natural resources. (20 marks)

Approach:

- Define and differentiate with examples.
- Choose a case study.
- Give the measures and solutions.

Answer - UGANDA

(a) Natural resources are gifts from nature which are exploited to produce further wealth and improve the standards of living leading to economic development. Renewable natural resources are those which are continuously being exploited without

© WAKISSHA 2

Page 15 of 18

exhaustion and when exhausted can be regenerated like soils, animals. vegetation water bodies etc. Non-renewable natural resources are those which when exploited can not be replaced e.g minerals. James a fine har bearings to

(b) The measures being taken for conserving hattiral resources in Uganda include:

Forest resources:

- Carrying out afforestation and re-afforestation programmes with soft wood species like red cedar in Bugamba, Magamaga, Nakasongola, Maguga. Majuga
- Using alternative sources of fuel, power and energy supply e.g biogas in Kakira, biomass, HEP at Nalubale dam. thermal energy Kampala, geothermal, solar energy reducing on forest destruction for firewood and charcoal.
- Controlling of bush burning by putting heavy fines and laws scaring people.
- Gazetting areas as national parks, game reserves and forest reserves and wetlands reducing on destruction by man like Kabalega NP, Mabira FR and Katonga GR.
- Controlling population using modern methods of family planning e.g using pills,
- Treating wastes before discharge and recycling by removing plastics, metallic objects and pothelyne papers which do not decompose.
- Promoting mass education and mobilization using formal and informal education helping in creating awareness for conservation.
- Getting fire fighting equipment like control towers, water bombers, and extinguishers
- Promoting eesearch on tree planting species of high demand like the molinga tree, neem tree, bark cloth tree etc which are even multi purpose.
- Training skilled labour like forest officers and environmental officers helping in
- Government supporting by giving loans, insecticides, pesticides hence helping

Water resources:

- Controlling fishing like using big sized nets and giving licenses to fishermen.
- Checking on water pollution through recycling and treatment of wastes by NEMA.
- Establishing hatcheries with young ones in overfished and exhausted areas like at Kajjansi and Entebbe fisheries.
- Limiting swamp reclamation through gazetting them as wetlands like the shores of L. Victoria and the banks of R. Rwizi.
- Carrying out water harvesting using valley dam and tanks in Nyabushozi, © WAKISSHA_2 Page 16 of 18

- Nakasongola and water tanks near homesteads.
- Removing the floating vegetation like papyrus, water hycinth using biological, chemical and physical means e.g on L. Victoria.
- Gazetting areas near water bodies as wetlands reducing on activities which cause sedimentation and siltatkm. Sha two
- Strengthening laws and fines against overfishing using small nets and bad use of water bodies.
- Promoting mass education and mobilization using formal and informal education on proper resource management and water resources.
- Setting up proper boundaries between national parks, fishing grounds and checking predators.
- Training skilled labour like fisheries officers, environmental officers helping in education, supervision and monitoring.

Soil resources:

- Using soil conservation measures like terracing in Kigezi, mulching in Kasaku tea estate etc.
- Applying modern methods of farming like ranching, intensive farming in Mbarara.
- Training skilled labour like environmental officers helping in education and monitoring.
- Controlling population using modern methods of family planning like using condoms, pills *etc*.
- Carrying out mass education and mobilization using formal and informal education like UPE.
- Separating industrial areas and residential areas, controlling pollution like Naalya housing and Namanve industrial area.
- Controlling pollution by recycling treatment of wastes and proper waste management.
- Gazetting areas as national parks, game reserves, forests and wetlands reducing on human activity which accelerate degradation e.g Mt. Elgon forest, Bwindi and Mughahinga forest etc.
- Practicing afforestation and re-afforestation programmes with soft wood species which take short time to mature e.g pine, western hemlock, Cyprus etc.
- Formating government agencies and non government organizations helping in supervision and monitoring like NEMA, UTB and UWA.

© WAKISSHA_2

Fish resources

- Restocking of over fish areas with young ones and new types.
- Strengthening laws and regulations for controlling illegal activities.
- Gazetting fishing areas to reduce over exploitation
- Diversifying the economy reducing dependency on fishing.
- Carrying out proper waste management for controlling pollution.
- Giving licenses to fishermen reducing on over exploitation.
- Forming cooperatives and management committees for supervision.
- Encouraging fish farming in ponds for increasing production
- Using fish holidays for controlling over fishing.
- Training skilled labour for supervision and monitoring,
- Using marine police for controlling illegal fishing.
- Removing water weed for easy growth of fish and planktons.
- Using big size nets and modern methods of fishing for getting mature fish.
- Promoting mass education and mobilization about the causes, effects and solutions

-

Wild life resources

- Restocking with new animals and young ones for animal conservation.
- Gazetting national parks, game reserves, forest reserves, wetlands for environmental conservation.
- Promoting mass education and mobilization about the causes, effects and solutions.
- Strengthening laws and regulations for controlling illegal activities
- Training skilled labour for supervision and monitoring.
- Promoting political stability and security for animal conservation.
- Promoting research for sustainable development and planning
- Controlling population growth reducing on encroachment
- Planting trees for conserving the environment
- Using proper waste management for controlling pollution.
- Promoting good international relations for joint conservation
- Treating animals in areas with pests and diseases.
- Economic diversification reducing dependency.
- Promoting proper exploitation of resources reducing wild life conflicts.
- Training game rangers for supervision and controlling poaching
- Forming government agencies and non-government organizations
- Helping in supervision, education, monitoring

Nb: mind on the tense.

Total = 25 marks

END

© WAKISSHA_2

Page 18 of 18

WAKISSHA JOINT MOCK EXAMINATIONS MARKING GUIDE Uganda Advanced Certificate of Education UACE August GEOGRAPHY P250/3 STANDARDS:



Standards:

Marking should be guided by the following principles:

- 1. The whole paper is to be marked by impression unless otherwise stated for a particular question? Part of a question.
- 2. Candidate should exhibit ability to explain, discuss and illustrate the points raised.
- 3. A mere outline of points should not attract more than half (1/2) of the marks allocated to question / section

Awards:

| An excellent answer5 scores | 21 - 25 marks. |
|-------------------------------|----------------|
| A very good answer scores | 18 - 20 marks. |
| A good answer scores | 15 - 17 marks. |
| A fairly good answer scores | 13 - 14 marks. |
| An average answer scores | 10 - 12 marks. |
| A below average answer scores | 08 - 09 marks |
| A fail answer scores | 01 - 07 marks. |
| An irrelevant answer scores | 00 marks. |

SECTION A (FIELD WORK)

- 1. a) (i) Candidate is expected to state the topic of the study pointing out'
 - What was studied,
 - Where the study was carried out,
 - The geographical relationship investigated during the study.

2 marks

- (ii) Candidate is expected to come up with the objectives of the study which should be;
 - Closely related to the topic
 - Specific and clear
 - Measurable and achievable.

NB:

- No objective should be a mere repetition of the topic.
- Accept objectives stated using phrases like:
 - To find out
 - To investigates
 - To identify

© WAKISSHA Joint Mock Examinations_2

Page 1 of 27



- To discover
- To assess
- Do not accept objectives stated using phrases like:
 - To know
 - To understand
 - To appreciate

b) Methods used

- To suggest, etc.

- Padmire | lea

Any 3 valid objectives, 3x1 = 03 marks Candidates are expected to describe how they used each of the following methods during the fieldwork study.

i.e. they should

• Define the method (1 mark) Describe how it was used and the tool should come out. (1mark)

Mention the information obtained inusing the method. (1mark) For example;

Observation: is the use of eyes and other senses to get / obtain i) geographical information from the field. What was used may include goods, land uses, crops, products, relief, etc.

Interviewing is a face to face interaction between the research and ii) the respondent, the researcher asks oral questions and the respondent answers orally.

Candidates should explain how they interviewed and the information they got / found out.

Recording refers to the writing / jotting information from the field iii) on the piece of paper using a pen, pencil and paper in form of field notes, field diagrams, etc.


Candidates should describe how he/she recorded and show what he/she recorded.

- Measurement refers to use of calibrated e.g tape measure and noniv) calibrated instruments like ropes to establish quantified information such as length, volume, size and weight during a fieldwork study to establish the geographical relationship.
- Sampling refers to use of a part of the whole to represent the whole v) during a fieldwork study.

© WAKISSHA Joint Mock Examinations 2

Page 2 of 27

Frestionaire, Distorative review



- The geographical relationship investigated during the study.
 - = 2 marks
- (ii) Candidate is expected to come up with the objectives of the study which should be;
 - Closely related / relevant to the topic
 - Specific and clear,
 - Measurable and achievable

NB:

- No objective should a mere/direct repetition of the topic
- To be measurable and achievable they should be stated using phrases/verbs like
 - To find out


 - To investigate Cafablish
 To discover , Sugart
 - To examine, etc


Do not accept objectives with phrases like:-

- To know, to understand, to see,
- To suggest, to appreciate etc

Any valid objectives x 1 = 3 marksMax = 5marks

Annotated sketch map for Katosi fish landing site showing physical and (b) manmade features.





A candidate is expected to identify and briefly explain the impact of human (c) activities / land use on the physical environment of the area studied.

The physical environment should be varied and should include; relief / land forms, drainage, vegetation types, soils, the atmosphere / air and

climate.

Land use activities should include; settlement, agriculture, communication, recreation, tourism, nature conservation, forestry, fishing, mining / quarrying, etc.

For example;

The quarrying of earth materials on the slopes accelerated soil erosion leading to creation of deep gullies. — Ve

Cultivation of crops in the valley has led to the drying up of the swamp.

The establishment of a livestock farm on the hill has led to the degradation of the natural forest on the slope of the hill.

The planting of pine and eucalyptus woodlots on the hill has created a cool micro climate in the area.

The development of industries has caused pollution. — V

Lumbering has caused deforestation leading to environmental degradation. — V

Road construction has led to destruction of the landscape.

The use of fertilizers has contributed to soil conservation and fertility.

NB: Accept both positive and negative impacts.

Accept not more than 2 impacts on one category of physical The spen gin: Spect from 1 X 6201 environment.

Graphy Any I valid points x 1 = 7 marks

(d) Activities carried out

> Candidates are expected to describe the activities they carried out as a follow-up such as; in Part tence -

We assembled in class and discussed data collected.

We presented data and compared it with each other.

There was data analysis.

There was polishing of the sketches and diagrams.

There was drawing of conclusions.

There was making of recommendations.

There was writing of a final report.

The report was cross-examined by the teacher.

There was dissemination of the report to the various stakeholders.

C WAKISSHA 2

Nb: Any 4 activities described in past tense with some form of explanation = 5 marks.

Mere statement of the activities without a tense = no mark.

Statement of activities in past tense but with no explanation = ½ mark

Total = 25 marks

The order of the activities does not matter.

SECTION B: UGANDA

- 3. The climate of Uganda is mainly influenced by altitude. Discuss

 Approach
- Define climate 02 nkg
 Climatic types, zones and areas characterized
 Sketch map for climatic types/ zones 05 mkg
 Sketch map for climatic types/ zones 05 mkg
 Sketch map for climatic types/ zones 05 mkg
- 12 [Influence of altitude -04X3 = 12 m/m]

 5 Other factors -1X6
 - Conclusion

Climate is the average weather conditions of a place observed, recorded and taken for a long period of time usually between 30-40 years.


Climate zone, types in Uganda

- Equatorial climate characterized by high rainfall around 1500mm, humidity 70%.
 high temperatures above 25°c, double maximum with peaks in march and September.
 low temperature below 5°c for example shore of L Victoria like Kala gala, Mpigi.
 Mukono, Wakiso.
- Savannah / Tropical climate with hot and wet season, rainfall around 1000mm.
 humidity 50%, one maximum peak, high temperatures above 25°c, temperature range between 5°c and 10°c like in Soroti, Tororo, Gulu, Lira, Luwero, Masindi, Bundibujo.
- Modified equatorial climate characterized by rainfall between 100mm-1500mm, humidity 50%-70%, high temps around 25°c, wet and dry conditions like Mbarara. Masaka, Bushenyi, Ibanda, Mityana, Hoima, Arua
- Mountainous climate characterized by high relief rainfall around 1500mm high, humidity of 70%, low temperatures between 10°c-20°c for example slopes of Mt Elgon, Mt Rwenzori, Mbale, Sironko, Kigezi highlands, Kabale, Kisoro, Karungu

Page 7 of 27

Semi desert climate characterized by low and unreliable rainfall below 760mm, humidity 30%, high temperatures above 30°c, prolonged drought, excessive evaporation, high temperature range around 20°c like Karamoja region in Kitgum, Kotido, Katakwi, Moroto, Ankole, Masaka dry corridor in Rakai, Isingiro, Kabura, Sembabule, Kiruhura, parts of Kasese, Nakasongola, Ntungamo, Masindi.

A sketch map of Uganda showing climatic types/zones



© WAKISSHA_2

Page 8 of 27

MR: - Candidates are expected to explain the Influence of although.

Climate is influenced by altitude and other factors

The influence of altitude Highland's and mountainous areas had low temperatures due to altitude like low temperatures 10°c ice because after every 300ft drops by 1°f for example Kigezi highlands, slopes of Mt Elgon, Mt. Rwenzori.

Highlands and mountainous areas have low humidity due to low temperatures

like Mt Elgon, Mt Rwenzori, Kigezi highlands.

Lowlands and flat lands have dry conditions like the rift valley floor, Teso (Sorth, Kom) region, northern-Uganda, Kasese region with rainfall between 300mm - 1000m-1000mm. Gulu, Lira.

The areas dr he leeward side of mountainous have dry conditions due to dry winds which descend and absorb moisture forming a rain shading effect for example Kasese due to Mt rwenzori, Karamoja because of Mt Moroto and Ethiopian highlands, Ankole, Masaka dry corridor due to Mt Rwenzori and Kigezi highlands.

Present The with although a Vicerce line / hoperation of the control of the cont

Presence of water bodies influencing wet conditions because of sea breeze and breeze like L. Victoria basin in Kalangala, Mpigi, Mukono, Wakiso and limit water bodies, dry conditions like Karamoja, Teso region, Karamoja

Vegetation cover like forests and swamps for high rainfall, dense clouds and high humidity for example around Mabira, Budongo forests, sese Islands. Mpigi forests and limited vegetation, less effect like Nakasongola, Kasese.

Karamoja with poor scarcity herbs and shrubs.

Latitude like areas near the equator wet due to ITCZ leading to double maximum rainfall, convectional rainfall like in Buganda region in Mpigi. Wakiso, Mukono and far from the equator dry like northern Uganda,

Karamoja.

The prevailing winds and wind systems leading to wet conditions like the westerns for Kigezi highlands, local winds like Katabotic and anabatic for L Victoria basin, slopes of Mt Elgon, Kigezi highlands.

• The NE trade winds bring dry conditions in Karamoja and SE trade winds for wet conditions in Mpigi, Kalangala, Wakiso and dry conditions in Ankole Masaka dry corridor because of changing direction.

Distance from the sea leeds to dry conditions in the interior due to less effect by doean currents like Ankole, Masaka corridor, Karamoja northern Uganda.

Presence of dense cloud cover leads to low temperature range, high temperatures and rainfall like Karamoja, northern Uganda and dense clouds. wet conditions like in L-Victoria basin, Kigezi highlands around Mt Elgon. Mt

Aspect influences low temperatures in mountainous areas and highlands because they receive limited sunshine like kigezi highlands around Mt Elgon.

Page 9 of 27

Mt Rwenzori and high temperatures due to direct sun rays in western rift valley floor, Teso region, Northern Uganda, Kasese, Ankole, Masaka corridor. Human activities, economic activities and land use patterns in areas with high population lead to environmental degradation causing dry conditions like

lumbering in Kigezi, agriculture in slopes of Mt Elgon, mining in Tororo and Kasese, settlement in Buganda and road construction. Human activities lead to environmental protection and wet conditions like forestry in lendu, Namanve, Matuga, Nakasongola, magamaga. The planting of plantational crops lead to wet conditions like Kasaku tea estate, Tororo, Mityana, Mubende, Kyamuhinga, Kayonza agro forestry like at Kawanda, Namulonge, Kabanyoro.

The gazetting of areas as national parks, game reserves, wetlands like Rwenzori NP, Katonga GR, Tilinyi swamp.

To a large extent altitude has influenced Uganda's climate in combination with

4. With reference to specific examples, discuss the problems facing urban a) areas in Uganda.

Approach

Define urbanization (a)

- Types areas
- Status / Situation Sketch map
- Problems

(b) Solutions

> Urbanization is the increasing proportion of population living in towns and cities that is te growth of towns and ports for example Kampala, Entebbe, Jinja, Mbarara, Mbale, Gulu, Masaka, Kasese, Arua. / Carge 10 if like concentrated in relatively in rung ever It is characterized by;

- Having high population of over 1 million
- High population density
- Improved social services like water, power
- Imrpved infrastructure like Airport, railway station, roads, post
- Gazetted by the government
- Havinh offices for the government companies, organizations

Status / situation

- Urbanization with 10% of the people
- Positive trend in urban development
- Urban areas are mostly headquarters for districts, regions

© WAKISSHA_2

Page 10 of 27


- Urban areas are centres of economic activities, social services and infrastructure
- Urban areas in Uganda not yet developed

Cities / capital city e.g Kampala.; mble, Holm, Goroti, Ding, Lira, Sulu, Fortpolel Categories/types

- Municipalities e.g. Jinja, Masindi, Kabale, Fortportal, Arta, Tororo,
- Mukono, Kayunga, Iganga, Kamuli, etc.
- Town councils e.g Buwama, Napak., Jahin, Kotakari, Kabag 2 Liking.
- Town boards / trading centres e.g. Kasenyi, Bulopa, Namulesa, Nakyenyi, Ovisoni, etc.

Page 11 of 27


Sketch map of Uganda showing urban areas.



KEY
Capital City

Municipalities
Town councils

Trading centres / town boards



The problems of urban areas in Uganda are physical and human.

High rates of unemployment and underemployment leading to low standards of living like in Kampala, Jinja, Entebbe.

Poor/accommodation and housing in the slums of Bwaise, Natete, Katanga in Kampala, Nyendo in Masaka.

Social problems and high crime rate like prostitution, drug addiction in slums of Kampala, Jinja, Entebbe.

Spread of diseases because of many people and limited health facilities like cholera in Kampala.

Traffic congestion causing inconveniences and delays like at Bwaise, Nakawa in Kampala.

Poor social services like water, power, health, education leading to low standards of living like Katanga slum in Kampala.

Environmental pollution because of many people, industries, heavy traffic like at Nakawa, Nyendo in Masaka.

High costs of living because of paying basic needs leading to povery like in Kampala, Entebbe.

Poor urban management because of limited facilities and high population like gabbage collection in Kampala, opening drainage channels.

Encroachment of gazetted areas like Kyambogo wetland, Namanve forest.

Limited land for expansion making it expensive and causing conflicts and tensions like Kampala central.

Poor infrastructure like drainage channels, roads like in slums of Kisenyi, Katanga in Kampala.

Over exploitation of resources causing exhuastio like soils near kampala, fish in L. Victoria.

Change of cultures by mixing people andcultures like western influence among

the youth in Kampala causing social problems.

Promotion of rural-urban migration leading to low population, labour force in rural areas like Masaka, Luwero, Kabarole.

High costs of urban management like universal education in Kampala.

Promotion of conflicts and tensions due to limited resources like strikes, demonstrations like Owino marke, Nakasero, Kiseka in Kampala. lbr force offee sfreet cha

Descriptions, steps, measures and procdures.

• Improving people's income through experience like Pride Africa like Katwe metal works.

- Proper waste management by using dust bins, recycling and treament of wastes in Kampala, Etebbe, Mbale.
- Development project in rural areas or investiment reducing on rural ubarn migration.
- Construction of housing estates on accommodation like Bugolobi Estates, Nankya housing estates.
- Improvement of transport and infrastructure like Kampala Mothers By pass, waka traffic lights.
- Gazetting areas like wetlands, forest reserves like Kyambogo wetland in Kampala, Nyamutyobora forest in Mbarara.
- Population control using modern methods of family planning reducing on activities and rural urban migration.
- Proper land use management by separating industrial and residential areas like Nakawa for industries, Bugolobi flat for settlement.
- Construction of stored houses to minimize space like Uganda House, Crested towers.
- Privatization and liberalization of urban services like gabbage collection in Kampala.
- Training skilled labour by promoting sciences for job creators and helping planning and development.
- Mass education and mobilization on the causes, effects, solutions using mass media.
- Changing land tenure systems through land bill, changing the mailo land in Uganda, Ranch restriction in Mbarara.
- Proper planning by gazetting areas for economic activities, settlement and environmental protection like Golf course in Kampala.
- Proper maintenance and rehabilitation like Nakawa Traffic lights, Nakivubo drainage channel.
- Economic diversification for employment and investment opportunities like

Development of slums by improving social services like water, power, drainage channels, toilets like Kawempe division.


Operations & get nid of street Krdn.


, Re locating street Vendor

my 8 X) That to "

© WAKISSHA_2

Page 14 of 27







(Disadvantages

(b)

- Maintenance of accuracy is not easy.
- It takes time in shading and showing many items.
- Reading and interpreting individual variables is not easy.
- It cannot be imposed or cannot contain additional information.

- It is tiresome in showing many items.

Causes of rural-urban migration in Uganda.

Pull factors to urban areas

Condidates write ex

Employment opportunities like owino market, mukwano industries in Kampala.

stries in $8X1 = 08^{\circ}$

- Better social services for high standards of living like Mbarara University and hospital in Mbarara.
- Political stability attracting people for settlement and investment like from Gulu to Kampala.
- Improved transport and communication for better social services and investment like Entebbe airport, Kampala railway station.
- Entertainment and urban excitement like Nambole stadium, club silk in Kampala for the youth.
- Investment opportunities attracting traders like owino market, Nakasero, Nakawa.

Push factors from rural areas:

- Land shortage causing conflicts, tensions like land fragmentation from Kabale,
- Political instabilities like LRA by Kony in Gulu, ADF Rebels in Bundibujo and Kasese.
- Climatic changes like drought limiting agriculture like Masaka, Luwero.
- Government policies like oil exploration in Bulisa, Bundibujo, Hoima, Masindi.
- Low agricultural production causing famine and hunger like in Karamoja, Masaka. Luwero.
- Cultural problems like circumcision in Mbale, Kapchorwa.
- High crime and social problems like prostitution, robbers, criminals, witcherafts from rural areas to Kampala after becoming social misfits.
- Poor social services leading to low standards of living like Masindi, Kabarole.

| Foor transport and communication making areas remote and back | ckward like |
|---|---------------------|
| Kalangala, Karamoja, Kisoro, Bundibujo, Kapchorwa. | |
| Limited economic activities leading to poverty due to limited re | sources like |
| Mhala I www. | |
| Popural Glam Tres like land stides of the de. | (8 marks) |
| | , |
| The population distribution is because of physical and human f | actors. |
| - Poor climate with dry conditions leads to low population in Kot | |
| and favourable climate hign population like Mbale, Jinja. | |
| - Relief like high lands and mountain slopes have high population | n e.g Mbale due |
| to favourable climate less diseases and easy drainage while flat | areas like |
| Moroto have low population. | |
| - (Cultures and traditions lead to low population like Moroto, Kot nomadic pastoralists. | ido occupied by |
| nomadic pastoralists. | like, moderate of |
| - Presence of economic activities lead to high population because | of attracting |
| people for employment and investment opportunities like Jinja. | Trade & commerce. |
| - Presence of fertile soils in Mbale, Jinja lead to high population | because many |
| people are attractive for agriculture and poor infertile sandy soi population in Karamoja. , morto & Kardo. | Is lead to low |
| population in Karamoja. , monto E Kartos. | Karamoja) |
| - Improved transport and infrastructure attracting many people for | or settlement |
| like Mbale, Jinja district put infrastructure low population like | Kapchorwa. |
| - Availability of resources lead to high population like fishing in | Jinja and |
| limited resources few economic activities like in Kotido. | flood and |
| - Political stability ceases to high population in Mbare Jinja beca | use of local and |
| foreign investors conflicts causing low population in Moroto li rustling. | ke came |
| rustling. | Thore I marks) |
| rustling. factors for forn distribution must tally with mentioned on the map. | CX La CMIS |
| Candidates are expected to come up with the current status of min | eral exploitation |
| in Uganda e.g. | |
| in Uganda e.g. There is wide spread exploitation of sand and clay. | |
| * 1 mining is limited | |
| a to the second wolld have been discovered | ered in recent |
| Alout organiner in anymiccu stages of the | ic, are investig |
| being exploited e.g. oil in Bullisa, Uranium in Apac, vertineum | ic in Manarita |
| - Most of the minerals are exported in raw form. | |
| Veriniculite and gold are the leading mineral exports by value. | |
| | |

(6)

6.

Page 17 of 27

copper miner boster provatived in 2012.

- Some mines that had been closed have been re-opened e.g. Kilembe copper mine.
- Most of commercial mining is done by foreign companies.

Mining in Uganda is lowly developed. Etc. Regeling of colone in Karece it shopped.

max.02

Candidates are expected to identify mining areas and the minerals mined.


e.g.Kases; Lime stone, copper, salt, cobalt, etc

- Busia; gold, sand, etc
- Kaabong: gold, limestone, copper, mica

Manafwa: vermiculite. sand

Kapchorwa; limestone, gypsum

- Kabaale; Iron ore, tin, wolfram, gold
- · Nebbi; miga
- 6 Moyo; limestone.
- Hoima; oil, salt, sand
- . Mubende; gold
- Bundibugyo; Gypsum
- . Bushenyi (Kyamugunga); gold



♥ WAKISSHA_2

Candidates are expected to come up with the extent to which poor technology has contributed to low levels of mineral exploitation.
e.g

- Poor technology has led to the use of crude/rudimentary tools to obtain mineral ores e.g salt pans for salt extraction from lake Katwe, saucepans for gold mining in Busia.
- Poor technology has made it difficult to obtain minierals at deeper levels undergroung e.g oil in Buliisa.
- Poor technology has limited mineral exploration and prospecting e.g oil in Rhino camp was not discovered inspite of earoplane echoes indicating its existence.
- Poor technology has limited the processing of minerals e.g. salt from Lake Katwe.
- Poor technology has made the transport of minerals difficult e.g movement of brine from Lake Katwe to the collecting centres is done on pieces of wood. clay at Kajjansi is transported at times on wheel barrows, salt from Kibiro to Kigorobya (Hoima) is done on bicycles. Partly the delay in exploiting oil in Buliisa is due to the absence of a pipeline. Etc.

any $4 \times 2 = 8 \text{mks}$

Candidates are sxpected to come up with other factors responsible for low level of mineral exploitation such as;

- Limited skilled labour to carry out mining e.g. oil in Buliisa.
- Limited capital to invest in buying of equipment e.g gold in Kaabong.
- Some minerals are located in remote areas which makes accessibility difficult e.g. iron ore in Muko (Kabale highlands)
- Competition with other landuses / dense population in mineral rich areas resulting into displacement / sensitive eco systems / environmental activism e.g. limestone in Sukullu Hills.
- Low grade minerals discourage investment in mining e.g. cobalt in Kasese.
- Insecurity / hostile tribes makes mineral exploitation risky e. grad in Moroto.
- Limited market for some minerals discourage exploitation / price fluctuation/competition from other countries / competition from other substitutes e.g copper from Kasese.
- Diseases have at times made the exploitation of minerals stall e.g. Marburg in Bundibugyo and Kamwenge gold mines. The disease like; and -11'
- Accidents claim lives of the miners and therefore discourage mining e.g. copper form Kasese.

on state to use "wrong" agretion live; -

Page 19 of 27

- Climatic changes at times hinder exploitation because they delay the process or make it difficult to find the mineral e.g. salt mining at lake Katwe during the rainy season.
- Smuggling of minerals results into failure to obtain the value in them for example gold in Busia.
- I_imited_government support makes the mining attempts fail or delayed e.g failure by the government to rehabilitate the processing plant for salt in Kasese.
- Corruption / mismanagement / bureaucracy results into failure or delay in mining e.g oil in Buliisa.
- Land incumberances in case of minerals occurring in privately owned land delays mining e.g. phosphates in Tororo, oil in Hoima.

Exhaustion of minerals limit mining e.g tin in Ntungamo.

- Some minierals occure in small quantities making it economical e.g. mica in Nebbi and gold in Bushenyi, Ulfram in Kabale.
- Profit repatriation by foreigh companies causing loss of income from mining e.g. limestone mining in Tororo and copper in Kilembe
- Fluctuating power supply limits exploitation e.g. salt in Kibiko and Katwe.

Limited reserved Impression-marking 25 marks What are the causes of rampant environmental degradation in Uganda.

(15 marks) Approach

Environmental Candidates are expected to define the term land degradation as the decline / reduction / destruction in the productive value of land. (2marks)

Candidates are expected to identify areas experiencing land degradation in Uganda.

They include:

7.

- Eroded areas e.g Bududa, Mbale, Sironko, Kabale, Kisoro, Bundibugyo, etc
- Deforested areas e.g. Kyenjojo, Buikwe, Hoima, etc.
- Overgrazed areas e.g. Kotido, Moroto, Kiruhura, Nakasongola, etc.

Polluted areas e.g. Kampala, Jinja, Wakiso, Mbale, Gulu, etc.

- Flooded areas / water logged areas e.g Butaleja, Kasese, Serere, Kaberamaido, etc.
- Mined / Quarried areas e.g. Kajjansi, Kamonkoli, ilembe, Lwera, etc.
- Soil exhausted areas e.g Kasaku, Kyamuhunga, Kyenjojo, etc

Leached areas e.g Buikwe, Mukono, Mpigi, Wakiso, etc.
Poached area [mtn Elgan TIP] like, Elerhant


© WAKISSHA 2

Candidates are expected to draw a sketchmap of Uganda showing areas experiencing different forms of land degradation.

Mere identification of areas = 3marks

Identification with a sketchmap = 5marks

A sketch map of Uganda showing areas experiencing land degradation.



Candidates are expected to bring out the causes of tand degradation which include:

© KAKISSHA_2

Page 21 of 27



- Climatic causes: Excessive rainfall has led to leaching of soils, soil erosion, e.g. Bududa, Wakiso, Mukono, Kabale, Kisoro, etc.
- It has also let to excessive flooding; thus reducing the productivity of land in such areas e.g Butaleja, Ntoroko, Kasese, Moroto, etc.
- Hot temperatures cause evaporation and reduce soil moisture; thus reducing soil productivity e.g Kasese, Moroto,
- Nature of relief; very steep relief resulting into the loss of upper layers of soil, reducing productivity e.g. Kasese, Bundibugyo, Kabale, etc
- Wild animals; these overgraze and expose the soils to erosive agents e.g. Bushenyi, Kasese Incel Elephonta, Hippon & Buffelo.
- Elephants debark trees, causing destruction of vegetation exposing soils to agents of erosion e.g Mhale, Manafwa, Kasese, etc
- illey also trample on land causing soil compaction and limiting water infiltration into the soil making it less productive.
- Pests and diseases; these destroy regetation exposing soil to erosion and therefore decreasing soil productivity e.g Amudat, Katakwi, etc.
- Strong winds: these blow over land and carry away soil; which reduces soil productivity e.g. Kotido, MOroto, Amudat, etc.
- Geological causes like volcanic eruptions which deposit materials on land; causing less productive soils such as the porous soils of Kisoro land plains.
- Deforestation; this results into the loss of forest cover; thus exposing soil to erosion and hence reducing its productivity e.g Buikwe, Hoima, Masindi (Budongo), etc.
- Mining / quarrying: this results into the creation of ditches and removal of upper layers of soil causing reduced productivity e.g Tororo, Kasese, Muyenga, etc.
- Indsutrialisation; industries dispose off toxic waste materials onto the land and contaminates the soil. This endagers the crops and therefore decreases the Dranization of aguage the Livicens The College Hos Col
- Urbanization / settlement; this destroys vegetation and exposising land to erosion and thus making it less productive. It also involves use of concrete which lime water infiltration into the soil, making it less productive e.g. Kampala, Masaka, Entebbe, etc.
- Improper waste disposal; this contaminates and prevents proper water infiltration where there is plastics and polythene e.g Kampala, Mukono, etc. Improclimate the section of the Borehole drilling: this lowers the water table and makes it difficult for crops to
- access underground water e.g. Nakasongola, Moroto.

© WAKISSHA 2

- Use of agro-chemicals; these include fertilizers, pesticides, herbicides, resulting into contamination of soil layers; exposing crops to dangerous chemicals en Kakira, Kasaku, Mubuku, Kawanda, etc.
- Irrigation; this increases the water level in the ground, causing water-logging hence reducing soil productivity e.g Mubuku, Kibimba, Olweny, etc. Causing Salmation (a Soil Managellana this reduce sail productivity e.g Mubuku, Kibimba, Olweny, etc.
- Monoculture; this results into soil exhaustion, which reduces soil productivity e.t. Kasaku, Kyamuhunga, Kakira, etc.
- Overseteking which leads to overgrazing; exposing the soil to crosion and therefore reducing soil productivity e.g Moroto, Kotido, Kiruhura, etc.
- Up and downslope cultivation creates passages for water downstope, leading to heavy erosion and therefore reducing soil productivity e.g. Kabale, Kisoro, etc.
- Bush burning exposes the soil to erosion because it destroys vegetation cover and thus reducing soil productivity e.g Kiruhura, Ntungamo, Amudat, Nakapiripiriti. Poaching in Hatima Upance
- Swamp draining; this makes clay soil dry and less productive e.g Kabale Rubanda, Katakwi, etc. - Instead by Frater King to But

Over cultivation which results in soil exhaustion.

Any 10xI = 10mks

Effect of the carre on the comment

b) Outline the steps that can be taken to solve the problem of rampant environmental degradation in Uganda. (@marks) Candidates are expected to bring out steps that can be taken to address the problem of land degradation in Uganda. These may include;

Afforestation and re-afforestation which is the planting of trees being done to

control soil erosion e.g. Mubende, Ntungamo, Kabale, etc.

Paddocking and rotational grazing can be done to control overgrazing e.g. Kiruhura, Sembabule, etc.

- Use of organic manure can be carried out to increase soil fertility e.g Wakiso. Mukono, etc.
- Use of cut and fill method in mining / quarrying to cover the ditches / pits left by mining e.g. Kilembe mines.
- Treating of industrial toxic wastes before disposal can be done e.g. in Uganda Breweries at Luzira.
- Terracing can be used on steep slopes to control speed of water in order to control soil erosion e.g. Kabale, Kisoro, Rubanda, etc.
- Eviction of encroaches on wetlands can be done by NEMA to restore wetlands e.g. © WAKISSHA_2 De Wrods 11 phraser 11 like;

 Though.

 Though.

 Though. Bushenyi, Kabale, Gaba, etc.

Page 23 of 27

- Laws / by-laws can be instilled to control bush burning, deforestation and wetland draining e.g Rubanda, Wakiso, Kotido, Kyenjojo, Hoima etc
- Sensitization of masses can be done to create awareness for forest, swamp and land conservation e.g Moroto, Kabale, Kiruhura, etc.
- Recycling of wastes can be done to control pollution e.g. in areas of in Kampala, Mbarara, Jinja, etc.
- Strip cropping to control soil erosion. This involves cultivating a strip around the hill, leaving another strip with grass e.g separating cultivator strips in Kisoro.
- Contour ploughing can be done to control soil erosion. This involves cultivating along a contour on a hill separated by trenches to reduce the speed of water e.g. in Kabale. Rubanda.
- Mulching to conserve soil moisture. This involves covering soil with plant material e.g Wakiso, Mpigi, etc.
- Crop rotation to <u>prevent</u> soil from exhaustion. It involves sub dividing the plot and changing the crops grown in different crops seasonally e.g in Wakiso, Mukono, etc.
- Inter cropping to maintain soil fertility whereby different crops can be growin in the same piece of land e.g. in Mukono, Wakiso.
- Use of Gabions to control soil exhaustion. This involves use of mire mesh and stones or sacks and soil as barriers along water passages on slopes e.g Kabale, Kisoro. Bundibugyo, Kapchorwa, etc.
- Sorting gabbage before disposal is being done to prevent pollution and contamination of soil e.g. Kiteezi, Kampala, Mukono.
- Planting of cover crops to control soil erosion. These include pumpkins which protect soils from direct exposure to rain drops e.g in Kabale, Kayunga
- Diversification for resources to control deforestation can be done e.g. in Wakiso, Mbarara. Hoima.
- Establishment of environment protection organizations like UNFA. NEMA. Use of allegand the cheek on frest destruction of orce

- Gazetting forests and swamps

- Planting grass to Control soilersion

Population control measures to control population growth.

Any 8x1 = 8marks

Points should be well explained and illustrated with places, names.

The tense in the question should be maintained. Moul 25 marks

A) Sfri pire B. [To singlest]

X 1=(8 mily

© WAKISSHA_2

Page 24 of 27

8. Assess the effects of rapid industrial development in Uganda.

(25marks)

| Candidates are expected to come up with a current status of the industrial | sector in |
|--|-----------|
| Uganda. These may include: Statut Olimpic These may include: | |
| These may include: | |

- Most of the industries are owned by foreigners.
- Most the industries are small scale industries.
- They are mainly agro-based industries.
- Industrial parks / zones have been created to provide adequate space for - Most of the pacts are consumed Locally. industrial development.
- Candidates are expected to come up with a sketch map of Uganda showing industrial centres and the associated industries.

These may include;

Kampala Food processing, textiles, breweries, chemical, steel rolling. foam. printing and publishing, pharmaceuticals, animal feeds, vehicle assembling. etc. Jinja + steel rolling, food processing, tectile, breweries, chemical, wood and pulp processing, printing and publishing, animal ffees, etc.

Mbale - food processing, textile, chemical clay works.

Tororo - cement, steel rolling, food processing, chemical industries.

Mbarara - stel rolling, food processing, printing and publishing, beverages.


Kasese cement, food processing, mattress making, lime processing. chemical industries, cotton ginning, cobalt processing.

Lira - food processing, cotton ginning.

Arua - food processing, water processing, honey processing.

Kabala pharmaceuticals, wine making, honey processing, etc.

A sketch map of Uganda showing the distribution of manufacturing industries.



T – Textile industries

F - Food processing

B - Breweries

S – Steel rolling

M - Mattress making

C - Cement manufacturing

Co - Cotton ginning

V - Vehicle assembling

W - Wine making

P - Pharmaceuticals

X – Printing and publishing

E - Chamical industries

A - Animal feed manufacturing

O - Wood and pulp processing

H - Honey processing

P - Capentry and furniture

KEY:

Mottir Dot must be at the

O WAKISSHA_2

Page 26 of 27

| Identification of industries and their place names (towns) on a sketch map = 5mks Mere identification of the industrial centre and the industries = 3mks | |
|--|-----|
| - Mere identification of the industrial centre and the industries of similar centre a | |
| Candidates are expected to clearly bring out the positive and negative impact of industrialization. | nut |
| Positive effects may include; | |
| Positive effects may include; Provision of market for the agricultural and other raw materials / utilization of natural resources. | |
| 1 on our cooking oil ele. | |
| - Provision of consumer goods such as sugar, cooking on, etc. - Development of social – economic infrastructures like roads, hospitals, schools, HEP stations. | |
| - Employment opportunities for the population in the country. - Diversification of the economy - Explored production of manufactured goods. - Employment opportunities for the population in the country. | |
| - Diversification of the economy - Diversification of the economy - Foreign exchange is obtained through the exportation of manufactured goods. - Foreign exchange is obtained through the exportation of manufactured goods. | |
| - Foreign exchange is obtained through taxation of industries - Devit of the weekindustry of ker | 18 |
| . 1. Alima aominany ili Nallialivo. | V |
| Urbanization e.g century bottling company in realization e.g century bottling company in realization and other countries. Development of international relations between Uganda and other countries. | |
| a facebook / tourism / editation | |
| 1 Contact technology e g Textile illustry in single | |
| Improved skills of labour through industrial trainings? on job states | |
| Any $\mathbb{Q}_{pointsxl} = \mathbb{I}_{mks}$ $\mathbb{A}_{ny} = \mathbb{I}_{ny} = \mathbb{I}_{ny}$ | |
| Negative effects may include; Somewhat breweries in Jinja, cement factory in Kasese. | , |
| Negative effects may include; Pollution of air, land and water for example breweries in Jinja, cement factory in Kasese. Pollution of air, land and water for example Namanye forest for the establishment of cocacola | |
| Pollution of air, land and water for example breweres in single, control Deforestation of forested areas for example Namanve forest for the establishment of cocacola | |
| industry. | |
| industry. Draining of wetlands / swamp reclamation e.g steel rolling in Nakawa and Nalukolongo. Development of urban centres and the urban related problems e.g increased crime rates. increased | |
| - Development of urban centres and the urban related prosterior | |
| unemployment. - Rural-urban migration leading to low agricultural productivity in rural areas. - Rural-urban migration leading to low agricultural productivity in rural areas. | |
| Rural-urban migration leading to low agricultural productivity Profit repatriation due to foreign investment e.g cement factories in Hima and Tororo. Profit repatriation due to foreign investment e.g Mukwano food processing industry in | |
| - Displacement of people to increase on industrial the bearing rate and bearing | |
| Kibule - Destry Christ Cangascape Manustry in Jinja, Breweries in Kampala and Compensation for labour with other sectors e.g. textile industry in Jinja, Breweries in Kampala and Compensation for labour with other sectors e.g. textile industry in Jinja, Breweries in Kampala and Linia | |
| - 100 | |
| Leads to regional imbalance e.g cement processing in Kasese. Leads to many accidents e.g roofings in Lubowa, steel rolling in Kampala. Leads to many accidents e.g roofings in Lubowa, Hima, Apolluba in heluther. | |
| of diseases e g cement in 101010 and 1111111 | |
| - Leads to spread of diseases e.g. Any & points x 1 to 8 triks 1 | |
| and illustrated using types or names of illustrates and the | |
| NB: Points should be explained and mustrated using 5 per dampression brilling 25 mars. Local place names. | -k |
| VIH = OF XI = OF WERE | |
| | |
| END | |
| | 1 |
| | A |
| | |
| | |
| Page 27 c | of |
| © WAKISSHA | |