MARKING SCHEME

NAME SCZ Salongo 0705-950374 STREAM

- CZ

BEGINING OF TERM II EXAMINATION 2019 SENIOR FOUR (4) BIOLOGY 553/1 (THEORY)

Paper 1

Time: 2 hour: 30Min

Instructions:

Answer all questions in section A and B. Put answers to section A in the answer grid provided. Answers to section B must be written in the spaces provided.

SECTION	MARKS
A /30	30
B /40	40
C/30	30
TOTAL /100	

SECTION A: (30 MARKS) ANSWER GRID


1	Ci	11	And	21	C
2	A	12	B	22	C
3	BIV	13	C	23	B
4	C /	14	Dil	24	2.1
5	C	15	Day	25	8:1
6	Atı	16	A	26	R
7	Bil	17	D)1	27	B
8	B.V	18	A	28	C) 1
9	Civ	19	A	29	191
10	City	20	Cal	30	A

SECTION A (30MARKS)

Attempt all questions in this section, answers should be put in Answer grid provided.

1	Which of the follow	ng features differentiate	a housefly	from a spider
---	---------------------	---------------------------	------------	---------------

- A. Segmented body
- B. Jointed limbs
- C. Number of body parts
- D. Possession of exoskeleton
- 2. Use the key to identify the arthropod shown.



1	(a) Body divided into segments go to 2
1	(b) Body not divided into segments go to 3
7	(a) Body has one pair of legs per segment A
_	(b) Body has two pairs of legs per segment
2	(a) One pair of antennae
J	(b) Two pairs of antennae

- 3. Which of the following relationships is an example of mutualism?
 - A. Tape worm living in human gut.
 - B. Bacteria living in gut of a cow.
 - C. Ticks living on the skin of a dog.
 - D. Plasmodium living in human blood.
- 4. Lactase is a human enzyme that catalyzes the breakdown of lactose in milk. At which temperature does lactase work fastest?

A.0°C

B 18 °C

C 37 °C

D 100 °C


Page 3 of 16

SCZ Salongo 2019

5. Which row shows the chambers of the heart, from those with the thickest walls to those with the thinnest walls?

	Thickest —	-	thinnest
A	Atria	Left ventricle	Right ventricle
В	Atria	Right ventricle	
C	Left ventricle	Right ventricle	Left ventricle
D	Right ventricle		Atria
	reight ventricle	Left ventricle	Atria

- 6. Why are arthropods the most successful group of organisms on land?
 - A. They have a water proof exoskeleton.
 - B. They can move very fast.
 - C. They have jointed legs.
 - D. They have segmented bodies.
- 7. 160cm³ of water was added to 250cm³ of dry soil. The volume of the mixture after stirring was 380cm³. What is the percentage of air in the soil sample?
 - A. 7.9%
 - B. 12%
 - C. 25%
 - D. 34%
- 8. The diagram shows a flower.




In which structure do seeds develop?

- 9. The following occur during mitosis in animal cell.
 - Chromosomes thicken and become more visible.

- (ii) Centromeres divide.
- (iii) Chromosomes line up at the equator of spindle.
- (iv) Daughter centromeres are pulled to the opposite pole of the spindle.

Which of the above occurs during Anaphase?

- A. (i) and (ii)
- B. (i) and (iii)
- C. (ii) and (iv)
- D. (iii) and (iv)
- 10. The graph shows the number of pregnancies in four groups of 100 women. Each group used a different method of contraception.




The method of contraception which is the least effective is?

- A. Barrier
- B. Chemical
- C. Natural
- D. Surgical.
- 11. Which of the following methods cannot be used to measure growth?
 - A. Age of the organism.
 - B. Length of the organism.
 - C. Volume of the organism.
 - D. Fresh and dry weight of the organism.

- 12. Which of the following explains why the circulatory system of an embryo is never in direct connection with mothers blood vessels?
 - A. It is connected to the uterus by the placenta.
 - B. The mother's blood pressure would burst capillaries of the embryo.
 - C. The mother's blood contains blood and respiratory gases.
 - D. Many substances in the mother's blood are poisonous.
- 13. A person eats a large bowl of rice. What happens to the amount of insulin, Glycogen and glucagon in their body?

da isang	Insulin	Glucagon	Glycogen
A	Decreases	Decreases	Increases
В	Decreases	Increases	Decreases
C	Increases	Decreases	Increases
D	Increases	Increases	Decreases

- 14. Which of the following is the correct route followed by an impulse passing along a motor neuron?
 - A. Nerve endings, Dendron, axon, dendrites
 - B. Cell body, axon, Dendron, dendrites
 - C. Nerve endings, dendrites, Dendron, axon.
 - D. Dendrites, Dendron, Axon, Nerve endings
- 15. The diagram shows an experiment to investigate gas exchange in a leaf.



In which direction does ink drop move and for what reason?

the state of	Direction	Reason
A	To the left	Photosynthesis
В	To the left	Respiration
C	To the right	Photosynthesis
D	To the right	Respiration

- 16. Which of the following happens when ventricles contract?
 - A. Blood is conveyed to the aorta and pulmonary artery.
 - B. Blood is conveyed to the vena cava and pulmonary vein.
 - C. The bicuspid valve and tricuspid valves open and blood enters ventricles.
 - D. Blood in the veins move much faster.
- 17. The table below shows the conditions in four test tubes containing equal amounts of starch and salivary amylase. In which test tube is the starch broken down fastest?

	P ^H	Temperature
A	2	27
В	2	37
С	7	27
D	7	37

- 18. The following are different responses to cold conditions in mammals.
- (i) Vaso constriction
- (ii) Hairs standing up
- (iii) Shivering
- (iv) Increase in metabolic rate.

Which of the following reduce heat loss?

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

19. Under which of the following sets of conditions indicated in the table below will bean seeds germinate?

100	Temperature(°C)	Light	Water	Oxygen
A	20	Absent	Present .	Present
В	20	Present	Absent	Present
С	0 ,	Present	Present	Present
D	20	Present	Present	Absent

- 20. What facilitates oxygen to be absorbed rapidly into the blood in the lungs?
 - A. Air breathed in has less Oxygen than Air breathed out.
 - B. Alveoli have thick walls and large surface area.
 - C. Alveoli have thin walls and large surface area
 - D. The concentration of Oxygen in the blood is higher than in the alveoli.
- 21. Which row shows the effects of deficiencies in Nitrate and magnesium ions on plant growth?

	Effects of Nitrate ion deficiency	Effect of magnesium deficiency.
A	Green leaves	Long roots
В	Long roots	Thin stem
С	Stunted growth	Yellow leaves
D	Thick stem	Large leaves

- 22. What is likely to happen is a maize coleoptile whose tip has been removed, is illuminated from only one side?
 - A. The coleoptile would curve towards the direction of light.
 - B. The coleoptile would curve away from the direction of light.
 - C. The coleoptile would not show any further growth.
 - D. The coleoptile would grow upright.
- 23. The equation shows chemical reaction that occurs in living organisms.

Glucose + Oxygen — Carbon dioxide + Water

Page 8 of 16

Which of these characteristics of living organisms is this equation associated with?

	Respiration	Nutrition
A	1	
В	V	X
C	X	1
D	X	X

- 24. Which of the following refers to the process by which water is lost from the plant?
 - A. Active transport.
 - B. Diffusion.
 - C. Osmosis.
 - D. Photosynthesis.
- 25. Plants manufacture their own supplies of carbohydrate.

What are the raw materials and the waste product of this process?

illy 1s	Raw materials	Waste product
A	Carbon dioxide and Chlorophyll	Oxygen
В	Carbon dioxide and water	Oxygen
C	Oxygen and chlorophyll	Carbon dioxide
D	Oxygen and water	Carbon dioxide

- 26. Which of the following are produced during anaerobic respiration in a yeast?
 - Carbon dioxide and water.
 - B. Ethanol and carbon dioxide.
 - C. Ethanol and water.
 - D. Lactic acid.
- 27. Which row describes a root hair cell?

	Adves water to	Increase the sections	Loss water by
	years bales that phases	ere of the past	
A			
(1		
b			


- 24. The following statements are about some territories in the furness heads.
 - Causes changes in the everies during the menorous cycle.
 - W Promines the development of dronger meades.
 - X Causes the voice to despen at publicate.

Which shatements are correct for temomerone?

- A. V and W
- BL V and Y
- C. W and X
- D. X and Y
- 29. The diagram shows an experiment to investigate the response of plant dom to gravity



What is the suitable control for the experiment?




Page 10 of 16

- 30. A pure breeding plant with smooth stems was crossed with heterozygous plant with hairy stems. What will be the ratio of hairy: smooth stems in the resulting plants?
 - A. 1 hairy: 1 Smooth
 - B. 1 Hairy: 3 Smooth
 - C. 3 Hairy: 1 Smooth
 - D. All hairy.

SECTION B (40 MARKS)

Attempt all questions in section. Answers MUST be written in spaces provided.


31. In an experiment about soil, two glass tubes of equal diameter were filled with equal volumes of dry soil sample A and Soil sample B, and one end of each tube was placed in water. The experiment was observed at intervals over a period of eight hours and results are shown by the graph below. Study it and answer questions that follow.



	(a) (i) Suggest a suitable title for the graph.	(01 mark)
	Graph showing variation of height	reached
	by water with time	
	(ii) What was the aim of the experiment?	(01 mark)
	(ii) What was the aim of the experiment? 10 investigate capillarity of so and soil sample B.	of Jampa A
	and soil sample B.	
	(b) From your graph, describe curve for;	
	(i) Soil sample A	(03 marks)
	From Ohours to Thour, there was rapid inc	chase in
Kei	Height reached by water;	p
0 to 4 hours.	Troop I have to whowing there was grand	rual morrase of
(0-4hours'		
0 1/10 -	Iron 4 hours to 8 hours, reign racial	ny wat
	remained constant	(03 marks)
	(ii) Soil sample B	
	yrom ohour to 0.5 hours, there was graden	29 11/0/000
		the state of the s
	from 0.5 hours to 2 hours, there coas n	aptor the same
	In height reached by water. Mrom 2 hours to 6 hours often was grade	
	Hrom 2 hours to 6 hours often coar grant	and the about
-	height reached by water in the two soils	samples between;
	(c) Explain the difference in height reached by water in the two soils	samples between;
	(c) Explain the difference in height reached by water in the two soils	samples between; (04 marks)
	(c) Explain the difference in height reached by water in the two soils (i) 0 hours and 2 hours. Hee Height reached by water in soil the height reached by	samples between; - (04 marks) - (02 marks) - coafer (n soil 2
	(c) Explain the difference in height reached by water in the two soils (i) 0 hours and 2 hours. Hee Height reached by water in soil the height reached by	samples between; - (04 marks) - (02 marks) - coafer (n soil 2
	(c) Explain the difference in height reached by water in the two soils (i) 0 hours and 2 hours. Hee Height reached by water in the two soils sample A is more than height reached by sample A has large	samples between; - (04 marks) - (02 marks) - coafer (n soil - ger air spaces,
	(c) Explain the difference in height reached by water in the two soils (i) 0 hours and 2 hours. Hee Height reached by water in soil the height reached by	samples between; - (04 marks) - (02 marks) - coafer (n soil - ger air spaces,
	(c) Explain the difference in height reached by water in the two soils (i) 0 hours and 2 hours. Hee Height reached by water in the two soils sample A is more than height reached by sample A has large	samples between; - (04 marks) - (02 marks) - coafer (n soil - ger air spaces,

	(ii) 2 hours and 8 hours. Height reached by water in soil (04 marks) Sample B is morathan height reached by coafter in Soil sample A Because soil sample B has smaller Soil particles which present a large surface area	
	over which water molecular Cling;	3
	State with reason which soil sample has more nutrients. (03 marks) Soil sample B. Because has high capillarity. enables water couth dissolved nutrients to rise to high Cevels, small spaces with HE particles inhibits leaching.	93
(e)	(i) Explain how the physical properties of soil sample B can be improved. (02 marks) Adding human to improve on boar drainage.	2
	(ii) Name two other physical properties of soil sample B1 (02 marks) - High water rentation capacity - less porous - poor obrainage - poorly aerated 03	2 L

32. The diagram below illustrates blood circulation in certain organs in humans.



Page 13 of 16

Million with the action

SCZ Salongo 2019

(a) Name part labelled A.
Gut of Intertines
Accept Intertines
(b)
(i) Name blood vessels labelled D, E, C, B and F. (04 marks)
B - Hebatic bortal vein. E - Hebatic Vein, Rej wrang spelling O4
E - Hepatic Vein, C - Hepatic Artery; B - Aorty
F - Vena Cava
D. Leave the composition of blood in vessels E differs from that in vessel D.
Blood in vessel E Blood in vessel D
- Less nutrients 1 more nutrients of my 3
- Less nutrients - less urea - more urea - more carbonoloxiole - more carbonoloxiole - more heat - more heat - more oxygen - wer oxygen - were oxyg
- More heat war orceasen.
- lust Oxygen — more Oxygen (02 marks)
- lust Oxygen — more oxygen. (iii) State two nutrients that are stored in the liver. Vitamin Livitamin Div Vitamin Compared in the liver. Any two
1 ron:
[1] [1] [1] [1] [2] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4
33. The figure below shows a food chain, Study it and answer the questions that follows.
Tree → Insect larva (Caterpillar) → Small bird → Hawk
(a) From the above example, name the .
Page 14 of 16
SCZ Salongo 2019

(i)	Primary consumer. Invect larva (caterpillar) (01 mark)	9
(ii)	Producer (01 mark)	9
(iii)	Herbivore Insect larva (caterpillar) (01 mark)	9
(b) Carbo	n dioxide from air around the leaves of tree might eventually become part of the	
	of hawk. Name in each case the process by which;	
(i)	Carbon dioxide becomes part of the tissue of the leaf. (01 mark)	7
(ii)	Tissue of the leaf becomes part of the caterpillar. (01 mark)	0
(iii)	Carbon dioxide is eventually turned to the atmosphere from the body of the	
(4 F (0)	living hawk. - Respiration (01 mark)	0
(c) State;		
(i)	The sources of energy passed along food chain. (01 mark)	σ
(ii)	Three processes by which energy is lost as it flows along the food chain.	
N.	Responsation. (03 marks)	
	Egestion .	7
	Seath .	

Harmophilia refers to a constition when an individual lacks one or more blood clotting factors leading to prolonged bleeding even for minor infurios. 1) let H represent allele for normal blood clotting it h represent allele for haemophilia. parents phenotype Harmophiliac man X Normal coman Y XHXh in meiosis / parents' Genotype. XV (XH) (Xh) Gametes. random. Tertilisation XhXh XHY XhYi XHXH Fi Genotypes Haemophilique boy Haemophiliac girl Normal Normal F, phenoty per 911 $1x^{\mu}x^{\mu}:1x^{\mu}x^{\mu}:1x^{\mu}x^{\mu}:1x^{\mu}y$ i) Gensfypic ratio. Thormal: 1 Hacmophiliac; 1 Normal; 1 Hacmophiliac
girl girl boy. phenotypic ratio 1 harmoshiliac: 1 Normal Accept. By Genetic screening.

No.36

9)

- Unisexual flavours, both sixes
appear on elifferent plants (obioecion)

Eg paw paw,

- Seif sterility in monoecions

plants like maise

- Dichogamy Stamens and putils

ripen at different time,

protandry o putil stamen ripen before

protandry o pustil ripen before

protogyny postil ripen before

brotogyny postil ripen before

brotogyny pustil ripen before

brotogyny pustil ripen before

brotogyny pustil ripen before

protogyny pustil ripen before

protogyny pustil ripen before

protogyny pustil ripen before

protogyny pustil ripen before

crossing over in prophase 1.

Random filssion of gameter

	otes for and of pulses is a said of any and a said	0
	No.37	
	a) pollution; introduction of rubetancer into	
1	to environment to levels that an harmful to	1 2
	the environment to levels that I are harmful to	
	A	
1 passon f	B Bucharge of industral fumes into atima	splen.
1	- combustion of fuels, proclee smake Soot	
	- Bush burning, generate smoke.	Ang 7
	- Construction, generale dast	
	- Charcoal burning, produces Carboneloxueles.	87
	- spraying with perficules votatile	
- Control of the Cont	- pour Galobage du porsal	
	Castrastri _{te}	
	C).	
	- Mormation of audic components, that clastroy	
N. Y. X	vegetation Distance	02
	- 5 moke causes pour vision, reduced light	
	peretration - Global warning	
	- Global warming	
- X,X	: Agar : N. XI : 1 X X - Ollow side as N. M.	
	and the American cortical and property	
er in the state of	scove : My de de la contenta del contenta del contenta de la contenta del contenta de la contenta del contenta de la contenta del contenta de la contenta del contenta de la contenta de la contenta de la contenta de la contenta del content	
	K I I I I I I I I I I I I I I I I I I I	
	1: and an and the time of the second	
	The second of th	
		W.