Name					
School:	Reference No:				
545/2					
Chemistry					
Paper 2					



KAMOTA MOCK EXAMINATIONS 2023 UGANDA CERTIFICATE OF EDUCATION CHEMISTRY PAPER 2

TIME: 2 HOURS

Instructions:

2 hours

- This paper consists of two Sections A and B
- **Section A** consists of **10** structured questions. Attempt all questions in this section. Answers to these questions must be written in the spaces provided **ONLY**.
- **Section B** consists of **4** semi-structured questions. Attempt **ONLY TWO** questions from this section. Answers to the questions must be written in the answer booklets provided
- In both sections all working must be shown clearly

	FOR EXAMINER'S USE ONLY													
1	2	3	4	5	6	7	8	9	10	11	12	13	14	TOTAL

SECTION A: All questions are compulsory

1.	When calcium turnings were added into water in a beaker, bubbles of a colourless gas, X ,and a cloudy solution formed.						
	a) State the identity of : (i) Gas X	(½ mark)					
	(ii) The cloudy solution.	(½ mark)					
	b) Write equation for the reaction leading to the formation of gas \mathbf{X} .	(1½ mark)					
	c) State. (i) How gas X could be identified in the laboratory.	(1½ marks)					
2.	(ii) One laboratory use of the resultant solution in the beaker.	(1 mark)					
	a) State the principle on which each of the following methods of separating (i) Chromatography	mixtures works. (1 mark)					
	(ii) Fractional Crystallization	(1 mark)					
	b) Sate what would be observed and give a reason for your observation, if a and the following sub- stand was shaken, then allowed to stand for some tim (i) Ethanol						
	• Observation	(½ mark)					
	• Reason	(½ mark)					

	(ii) Eddible oilObservation	(½ mark)
	• Reason	(½ mark)
	c) Name a piece of apparatus that can be used to separate components of the r (ii)	
3.	Ethanol obtained from glucose can be converted to ethene as shown below.	
	$C_6 H_{12} O_6 \xrightarrow{STEP I} C_2 H_5 OH \xrightarrow{STEP II} C_2 H_4$	
	a) Name the process that takes place in (i) Step I	(½ mark)
	(ii) Step II	(½ mark)
	b) State (i) One other product formed together with ethanol in step I	(½ mark)
	(ii) The conditions for the conversion in step II	(1½ marks)
	c) Ethene can be converted to a polymer J of relative molecular mass 16,800. (i) Write the structural formula of ${\bf J}$.	(1 mark)
	(ii) Calculate the number of moles of ethene that make up ${f J}$.	(1 mark)

(iii) Give one disadvantage of continued use of J .	(½ mark)						
a) Name one crystalline and one amorphous allotrope of carbon and in each case state one use of the allotrope that you have named.							
(i) Crystalline carbon allotrope.	(½ mark)						
Use	(½ mark)						
(ii) Amorphous carbon allotrope	(½ mark)						
Use	(½ mark)						
b) Write equation for the reaction to show (i) Combustion of carbon monoxide	(1 mark)						
(ii) Reduction of iron (II, III) oxide by carbon monoxide.	(1½ mark)						
c) State one practical application of the reaction in (b) (ii)	(½ mark)						
 a) 2.0g of ammonium nitrate was dissolved in 100cm³ of water; and the water dropped from 25.0° C to 21.0° C. a) Give a reason why there was a drop in the temperature of the water 							
b) Calculate the molar enthalpy of solution of ammonium nitrate. ($H = 1$, $N = 14$, $O = 16$, density of water is 1gcm^{-3} and the heat convater $= 4.2 \text{ Jg}^{-1} \text{ k}^{-1}$)	(4 marks) apacity of						

5.	a) (i) Define the term electrolyte.	(1 mark)
		• • • • • • • • • • • • • • • • • • • •
	(ii) Water in which a small amount of acid has been added is an electrolyte water is a non- electrolyte. Give a reason for this observation.	
	b) Melton lead (11) bromide conducts electricity whereas solid lead (11) brom Explain briefly	
		• • • • • • • • • • • • • • • • • • • •
		• • • • • • • • • • • • • • • • • • • •
	c) Name the particles by means of which electric current is conducted in (i) Carbon electrodes	(½ mark)
	(ii) Molten lead (11) bromide	(½ mark)

a) (i) Write equation for the decomposition of hydrogen peroxide.	(1½ mark)
(ii) State two ways in which the decomposition of hydrogen peroxide c rapidly.	an be made to o
b) Burning magnesium ribbon was lowered into a jar of oxygen. (i) State what was observed.	(1 mark)
(ii) Write an equation for the reaction that took place.	(1½ marks
The standard St. 17 and 20 and 18 and	
The atomic numbers of elements W , chlorine and Y are 15 , 17 and 20 resa) Write the electronic configuration of an atom of element. (i) W	(½ mark)
(ii) Y	(½ mark)
b) State which one of the elements W or Y would form a chloride which (i) A solid with high melting point.	is (½ mark)
(ii) A volatile liquid at room temperature.	(½ mark)
c) Give reasons for your statement in (b)	(1 mark)
d) State how a chloride ion in aqueous solution can be identified.	(1½ mark

a) Anhydrous sodium carbonate was di hydroxide as shown in the equation bel Na ₂ CO _{3(s)} + H ₂ O ₍₁₎ \longrightarrow The solution turned red litmus blue Give a reason	low:	nic acid and sodium
b) Dilute sulphuric acid was added to s (i) State what was observed. (ii) Write an ionic equation for the		ution. (½ mark) (1½ marks)
c) (i) Name one reagent that can be use and aqueous sodium hydrogen carbona	_	
(ii) State what would be observed it separately with aqueous sodium carbon	•	

10. a) Sulphur dioxide can be prepared by burning iron pyrites, FeS_2 , in air according to the following equation.

$$4\text{FeS}_{2(s)} + 11O_{2(g)} \longrightarrow 2\text{Fe}_2 O_{3(s)} + 8\text{SO}_{2(g)}$$

Calculate the volume of sulphur dioxide evolved at room temperature when 9 pyrites is reacted with excess oxygen. (Fe = 56, $S = 32$; 1 mole of a gas occupies 24 dm ³ at room temperature.)	.60g of iron (2½ marks)	
b) During the manufacture of sulphuric acid by the contact process, sulphur d with oxygen in the presence of a catalyst.	lioxide is heated	
(i) Name the catalyst.	(1 mark)	
(ii) Write equation for the reaction between sulphur dioxide and oxygen.	(1½ marks)	

SECTION B (30 MARKS)

Answer any two questions only in this section. Extra – questions only in this section. Extra – questions answered will not be marked.

11. a) A pure dry sample of chlorine was prepared in a fume cupboard in the laboratory by adding concentrated hydrochloric acid from a tap funnel onto a solid, \mathbf{R} in a flask and then

	heating the mixture. The gas evolved, was passed through water, then through a liquid, T , before it was collected.	
	(i) Identify R .	(1 mark)
	(ii) State why the preparation of chlorine was carried out in the fume cupb	oard. (1 mark)
	(iii) Name T and state its role.	(1 mark)
	(iv) Give a reason why T was preferred for its role, which you have stated	in (iii) (1 mark)
	(v) Why was chloride passed through water?	(½ mark)
	(vi) State, giving a reason, a method by which chloride was collected.	(1 mark)
	 (vii) Write equation for the reaction, which led to the formation of chlorin b) Chlorine was bubbled through saturated potassium iodide solution, which vertrachloromethane and the mixture shaken, and left to stand for some time. (i) State what was observed. (ii) Write equation for the reaction that took place. 	
	c) When exposed to bright sunlight, chlorine water produces a colourless gas,(i) Name the gas(ii) Explain briefly, how the gas was formed.	(½ mark) (2½ marks)
	d) (i) Write equation for the reaction that can take place between iron and chlo	orine. (1½ mark)
	(ii) Give a reason why the reaction in (d) (i) is regarded as oxidation.	(1 mark)
12.	A compound Q consists of 26.7% carbon and 2.2% hydrogen by mass; the reoxygen.	est being
	a) Calculate the empirical formula of Q . ($H = 1, C = 12, O = 16$)	(3½ marks)
	 b) An aqueous solution of Q turns blue litmus paper pale red. (i) Suggest how the P^H value of a 2M aqueous solution of Q would compa value of a 2M hydrochloric acid. Give a reason for your suggestion. 	are with the P ^H (2 marks)
	(ii) Predict how \mathbf{Q} would react with magnesium powder.	(1½ arks)
	(iii) Write an ionic equation for the reaction that you have predicted in (b)	(ii) (1½ marks)
	c) 100cm ³ of a solution containing 4.5g of Q per dm ³ of solution required exactly 0.12g of magnesium powder for complete reaction. (Mg=24, 1 mole of Q reacts with 1 mole of magnesium.)	
	Calculate (i) The concentration of Q in mole per dm ³ .	(3 marks)
	(ii) The formula mass of \mathbf{Q} .	(2 marks)

d) Determine the molecular formula of Q .	(2 marks)
13. Under suitable conditions iron can rust.a) Sate (i) what is meant by the term "rusting."	(1 mark)
(ii) The condition(s) necessary for iron to rust.	(2 marks)
b) (i) Draw labeled diagram(s) for a set up of an experiment which can be us the condition(s) you have stated in (a)(ii), is / are necessary for iron to rust.	ed to show that (5 marks)
(ii) State and explain observations that would be made if the experimental diagrams that you have drawn in (b) (i) was allowed to stand for some days.	-
c) (i) State two methods by which rusting can be prevented.	(2 marks)
(ii) Give one reason why rusting must be prevented.	(1 mark)
14. a) Describe the effect of heat on the nitrates of copper, potassium and silver, answers with equations.	illustrating your (7 marks)
b) Potassium nitrate can be used in the preparation of nitric acid.(i) State the conditions and write equation for the reaction that leads to the nitric acid.	ne formation of (3 marks)
(ii) Draw a labeled diagram of the set up of apparatus used in the laborate of nitric acid.	ory preparation (3 marks)
c) Write equation for the reaction of nitric acid with sulphur.	(1½ marks)
d) State one use of nitric acid.	(½ mark)

END